

KENYA in November

"The fortunate members of this year's November tour of central Kenya busily recorded 570 bird species during their dizzying two weeks of birding, with an impressive 552 forms seen and 18 which were heard only. These totals included no less than 10 game birds, 11 waterfowl, seven storks, 47 birds of prey, nine hornbills, six owls (including three species of Eagle-Owls), five nightjars, 19 cisticolas, 19 sunbirds, 16 starlings and 16 *Ploceus* weavers. We encountered 65 species of mammals, excluding a few unidentified bats, shrews and rodents, but including the three large (and one small) cats, both rhinos, Crested Porcupine, Lesser Kudu, Bat-eared Fox and many more. Other species included 23 identified reptiles and amphibians, a whole host of dragonflies and butterflies (including one species, *Chlorocelas trembathi*, found for the first time since the one and only specimen known to science was collected in the 70's), as well as the incredible botanical fauna with which Kenya this year was awash. All were pointed out, but the whole experience was just too much to take everything in! This incredible diversity was experienced in the seclusion of luxurious lodges deep in the heart of prime birding country, offering not only comfort but the finest food that anyone could hope to find in the wilds of any country on this planet.

Most of the group had arrived prior to the start of the tour, but the last participants arrived in good time and gathered at breakfast before we drove the short distance to Nairobi National Park, where we spent the entire day. Birds arrived even before we entered the gate, where Superb Starlings, White-winged Widowbirds, Red-billed Queleas, Speke's Weavers and Pin-tailed Whydahs were along the road leading to the park. A pair of dozing Spotted Thick-knees on some rocks were among the first birds within the park, followed by a graceful pair of Saddle-billed Storks in a patch of inundated grassland. The birds came thick and fast through much of the day. Early sprinkling abated very shortly after our arrival, and the rest of the day was fine. Of the over 145 species recorded, a few of the many highlights included stately Ostrich, a ponderous Spur-winged Goose (one of the world's largest waterfowl), enormous Marabou Storks, monotypic Hamerkop, sedate Secretarybirds, secretive African Water Rails, dapper Blacksmith Plovers, dazzling Diederik Cuckoos and gorgeous Eurasian Bee-eaters – and these are just a few of the non-passerines. The list goes on and on. There was a good variety of Palearctic migrants, and an exciting find was a Brown Parisoma on its nest. Mammals were not ignored, with mischievous Olive Baboons and Vervet Monkeys, a dozing Black Rhinoceros, Masai Giraffe, Zebras, Warhogs, Buffalo, a host of mixed antelope species and a ponderous Hippo grazing in the late afternoon. In the late afternoon we returned to the hotel to digest what we had seen, as well as a good meal!

The next morning at Lukenya was absolutely stunning. Showers overnight had cleared the air to a crisp sharpness, and the natural garden of flowering plants certainly was receiving as much attention as the birds. Although the garden was virtually without migrants, we were suitably entertained with our only White Stork for the trip, the three Verreaux's Eagles put on a fine show with the antagonistic Lanners, and another pair of Spotted Thick-knees were remaining faithful to a site, probably nesting. The African Black Swifts flying around the rock face were also probably nesting, or thinking of it. A good variety of scrub birds were met with, including Bare-eyed Thrush, Southern Grosbeak Canaries and a solitary Grey-headed Silverbill. For a change, as we had never looked at the place before, we decided to try KWS Kiboko for our picnic. We were made most welcome and were rewarded with a superb Cuckoo-Hawk and a family of Violet Wood-Hoopoes, accompanied by a solitary Retz's Helmetshrike that probably thought it was one of them – although a clumsy trunk clamberer! Black-bellied Sunbirds were fairly common here, and Nightingales irrupted into song from the dense understory. Arriving at Mtito Andei Gate, we stopped at the museum. The Black-headed Plovers here were ridiculously tame. The only migrant passerine was a frantically dancing Upcher's Warbler. On the way to the lodge we had a wonderful Red-winged Lark singing from a shrub, and a stunning Pangani Longclaw behaving as if it was anting in the middle of the road. A Leopard arrived for its own supper whilst we ate dinner, and an enormous Verreaux's Eagle-Owl watched the proceedings from a lofty perch.

We had breakfast at 6 a.m. on Day Three at Ngulia, allowing us to venture early yet well-fed into the field. No migrants were there to meet us, but as we watched the avian activities in front of the lodge a Barbary Falcon came streaking out of the sky over the pool and flew along the escarpment, and a sentinel pair of African Hawk-Eagles kept watch from the dead trees. It was a slow descent into the lowlands, as we were distracted by a whole host of birds and flowering plants. Many species were attracted by small flying insects dancing around the tops of the bushes. Below the escarpment we found a very attractive pair of Vulturine Guinea-fowls. Madagascar Bee-eaters were in full breeding plumage in the tops of the Delonix, making daring sallies for insects within feet of the group. The avifauna here was completely different from our experience in Nairobi, including such interesting birds as Woolly-necked and Black Storks, graceful Bateleurs, very useful Pearl-spotted Owlets, four species of scrub hornbills, diminutive Tiny Cisticolas and dazzling Tsavo and

KENYA: Bird List...2

Hunter's Sunbirds. Our morning netted a fine representation of the Somali-biome species and soon it was time to return for lunch. It was a very pleasant drive along the Hippo Pools, where Golden-backed Weavers nested in the trees just above a pair of dozing Water Thick-knees. In the evening we had good views of nightjars on the road, finding three Eurasian and one each of Dusky and Plain. That night, Spotted Hyenas came to visit whilst we ate, and cute Greater Galagos were tempted into view with an Ugali handout.

An early breakfast was again waiting for us the next morning, and our departure was express-style to get to the lowlands in good time to find the more-skulking species still active. We did stop for a pair of Jameson's Firefinchs on the descent road, however. Our haste paid off with excellent views of several secretive Red-naped Bush-Shrikes and Pringles Puffbacks, as well as Pygmy Batis, Pale Prinias and Red-fronted Warblers. It was a clean-up operation after finding the more accessible species the previous morning. The grasslands before Chyulu Gate had at least five singing Friedmann's Larks, calling from the tops of the acacias. It is difficult to grasp that for 40 years after its discovery, this species was unknown anywhere. At Shaitani Lava we had our only Common Cuckoo of the entire trip, but more of a surprise here was a Bush Pipit sitting on a low shrub. There was a single Southern Ground-Hornbill also in this area. The sandy banks towards Loitokitok held breeding White-fronted Bee-eaters, with some 20 or more present and sharing the place with several pairs of Horus Swifts. Finally we arrived at Ol Tukai as the Slender-tailed Nightjars were waking up.

It doesn't matter how often you visit, the permanent lakes of Amboseli never fail to impress. The next morning, we set off to explore the area. Amongst the vast array of waterbirds was a lone Black Egret doing its "thing," and a hundred Common Pratincoles doing theirs. The plains soon gave up their three interesting larks, namely Somali Short-toed, Short-tailed and Singing. Before we left the compound, we first admired the Taveta Golden Weavers that were breeding and displaying at their nests near the hotel entrance and also in the car park, which they share with a number of obliging Nightingales. After a very enjoyable lunch we set off in the afternoon for the swamps. Here we enjoyed a Temminck's Stint on a bank right by the road, but undoubtedly the most exciting find was an adult (yellow-billed/legged) Slender-billed Gull on an inlet. The only gull in Amboseli! Then Kilimanjaro, one of the world's most impressive backdrops, lifted its misty veil to the delight of all. Yet another pair of Spotted Thick-knees crossed our paths as did the numerous Elephants returning to their sleeping area, as we returned to the hotel to the chorus of Slender-tailed Nightjars.

On the sixth day we departed Amboseli and flew to Nanyuki via Nairobi, with a detour to a game reserve before we could disembark and inhale the delicious aroma from the coffee percolating at Barney's. After doing more than just sniffing it, we set off up to Mountain Lodge. We were so lucky with the weather, and experienced a very good variety of montane birds from the roof of Mountain Lodge, including mixed Kenrick's and Waller's Starlings and a couple of Oriole Finches. In the evening the mammal parade was entertaining, including Giant Forest Hogs.

It was a fairly slow start in the cool morning. A White-backed Duck that was on the swamp at night had gone before light, realising that this was not ideal White-backed country! Birding from the roof was also slow at first, but picked up as we were ready to go for breakfast. A Black Stork that had also spent the night sleeping on a rock in the water was still around, but nearly all of the 13 Green Sandpipers had vanished. A Cuckoo-Hawk passed overhead, with the usual wanderings of pigeons, parrots, hornbills and starlings – a truly magical experience. After leaving the car park we birded slowly down the road, passing under a Crowned Eagle juvenile on its nest, and there was no way we could just drive by the male resplendent Long-tailed Widowbirds on the roadside fence. We were apprehensive that the recent rain would make access to the Met Station impossible, but amazingly we had no problem getting up the track and had an extremely nice time in sunny conditions with more than 10 of the bold resident Jackson's Francolins and Abyssinian Ground-Thrushes, whilst in the late afternoon a pair of Olive Ibis burst noisily out of the bamboo. On the descent we found a nice Rufous-breasted Sparrowhawk by the road, but it was getting late and we got back to Mountain Lodge at last light.

On the morning of Day Eight, we had our champagne breakfast first (though no-one was tempted by the offer of a light head so early in the day), and this really paid us well. When we got up to the roof the birds were active and we added many new species. Two Booted Eagles flew over, an Emerald Cuckoo sang from a high branch and a Leopard passed by the waterhole, but the birds were not the least impressed. After a rewarding time up there, we departed with our picnic for the drive to Naro Moru. We were picking up one new desirable after another, and doing so well, until being mercilessly tormented by a Bar-tailed Trogon that could only have been calling from inside a tree hole! In the afternoon we traversed the Solio Plains, where the road was dripping with Yellow Wagtails, with up to 1,000 present, and Red-capped Larks not very far behind.

KENYA: Bird List...3

There was a very obliging pair of White-eyed Kestrels on the posts, and other upland species also were much appreciated. After a good meal we retired, soon listening to the fall of rain outside.

We woke to a gloomy morning the next day. It had rained much of the night and a pre-breakfast bird-walk was aborted in favor of sustenance and warmth. After breakfast we had the walk and found a few birds, but it was fairly quiet. On the Solio Plains we found a stunning male Denham's Bustard in the IDP farmed area, the first in the area in a very long time. Otherwise species were much as the day before, without all of the Yellow Wagtails. Another nice surprise was our only Abdim's Stork for the tour. At Mweiga we descended into a quarry for a Mackinder's Eagle-Owl, which had moved from its usual spot. After passing through Nakuru, in the fast-fading light we found a Greyish Eagle-Owl perched by the roadside. Rain had flooded some small rivers on the Baringo Road, but the water wasn't too high yet and we passed through easily, getting into Baringo well after the sun had set.

Our full morning at Baringo started with a very noisy dawn chorus from all directions. We searched for the local specialties in the lodge garden, starting with a pair of African Scops Owls. Another interesting find was a Eurasian Hoopoe, but there really were no migrants to be seen in the acacias. The bird table was entertaining, attracting a host of species from miniscule Little Weaver to bulky Jackson's Hornbills. The biggest surprise here was an adult male Red-billed Buffalo-Weaver associating with its pale-billed friends. This may be a new species for Lake Baringo. With the help of William in the constant light drizzle, we found the local desirables like Greyish Eagle Owl, Northern White-faced Scops Owl, roosting Slender-tailed Nightjars, a pair of Heuglin's Coursers, plus the escarpment natives such as Bristle-crowned Starlings and Brown-tailed Rock Chat. For both Edwin and Brian, the highlight of the trip was a butterfly that Edwin had found on a low *Acacia mellifera*. It was recognised immediately as a hairstreak of the genus *Chlorocelas*, but this one looked very special and they had seen nothing like it before. On looking in Larsen, Brian located it as Trembath's Gem, *Chlorocelas trembathi*, collected by Trembath in the 1970s from near Meru National Park. That specimen had been the only one ever found, and it was a female. This was the first male ever seen. Edwin phoned the guru of all African butterflies, who was very excited, and since then he has confirmed the identification from an image. It was a very exciting discovery! After lunch we left Baringo, with a few stops along the road. At the Mogotio Sisal Slurry there were six Little Ringed Plovers and five Temminck's Stints feeding on the crust. Additionally, our only Shikra was here. We arrived in Lake Nakuru National Park in the evening, and set off for Lion Hill for a very comfortable stay.

It was drizzling for much of the night, and did not stop until 2:30 p.m. the next day. It was a very fine, misty rain which caused us little inconvenience, and certainly never allowed the day to become hot – and, more of a blessing, it never got dusty. After breakfast we set off for the mouth of the Njoro. It was ready to burst its banks and had come over the lakeside bottom of the road. There were birds everywhere, but few waders along this stretch. At other points we slowly found the more interesting species such as four Slender-billed, 20 Common Black-headed, two Lesser Black-backed and one Heuglin's Gull. Terns were just everywhere as well, and we recorded a total of 10,000 White-winged Black Terns. Whiskered Terns were also well over 1,000, but it was so difficult to count when most of the habitat was inaccessible due to the rising water levels. There had to be in excess of 20,000 White Pelicans and maybe even double this. In contrast, Lesser Flamingos numbered just a few thousand, and Greater Flamingos accounted for three or four to every Lesser. There was one flock of over 250 Northern Shovelers along the shore, with over 40 Cape Teal. Offshore we located six Black-necked Grebes. The 5,000 or so Great Cormorants were all around the lake and in every plumage from the black birds as seen in Europe to the full white-breasted as found in southern Africa. There was one area with 75 Avocet, but Ruff were the most dominant wader at over 5,000. Interestingly there were no interesting waders seen, in fact not a single Curlew Sandpiper! After a short siesta we set out at 3:30 p.m. It was bright and dry, so we headed off for a Thick-billed Cuckoo found by a friend the previous afternoon. This was only the second ever recorded away from the Kenya coast and was a very displaced individual. It was interesting here with a pair of White-backed Ducks, several Northern Shovelers and three Garganey. There were also a Swamphen and two Lesser Moorhens in the extensive rice grass. We took the road from Nakuru Lodge and, exactly where advised, played a little Thick-billed Cuckoo. There was instantaneous reaction as the cuckoo came in with its strange heavy and labored flight. We had the most incredible time with the bird and took video and stills. The bird defiantly called back, and challenged from the tops of the tallest trees. Such an exciting discovery, and the rarest bird observation on this trip.

We were a bit apprehensive to attempt the highlands around Molo; after all, there had been some 14 hours of rain the day before. However there was no rain overnight, and we woke to a magnificent sunny morning on Day 12. At Elburgon we stopped at the swamp and found Levillant's Cisticolas, as well as Malachite and

KENYA: Bird List...4

Golden-winged Sunbirds. Then we found the climb to Molo grasslands quite dry, though at the summit of the road there were two cars and a tractor mired. With a bit of common sense we walked from here, immediately finding many displaying Wing-snapping Cisticolas in some rank grass where a few Common Quail were calling. Aberdare Cisticolas were singing from barbed wire and fenceposts, and a Sharpe's Longclaw was walking in a grassy swathe right toward us. African Snipe were also active and displaying with jerky flights along the swollen creeks. The remainder of the day is best forgotten. We sat in the car at the Chagaik Arboretum in the pouring rain whilst eating our picnic so saw nothing there. Likewise, we did not look at the forest patches and continued all the way through with no bird stops. We found the Mara underwater. Worse, the road to Musiara had been destroyed by tractors and was impassable. The mire tried to hold us firmly, but Edwin was tenacious and we never became stuck – although the prospect looked very grim indeed. The Mara had had a severe lashing and in the dark we thought the river had risen over the bridge. But finding that this was just an illusion, we crossed safely to the other side! Soon we were ensconced in the unashamed luxury of Kichwa Tembo.

A beautiful "Lion King" sunrise greeted us the next day – a stunning view if one could block out visually and audibly the hot air balloon rising through the trees several kilometres away. The birds were very active and we were finding one new species after another. After breakfast we went up the Oloololo Escarpment, finding most of the local specialties like Red-tailed Chat, Trilling Cisticola, Pale Wren Warbler and Green-capped Eremomela, amongst a host of other colorful gems. Although our location was dry all morning, the Sabaringo River came over the bridge in the early afternoon and prevented us from heading toward Oloololo Gate. The Mara also rose above the bridge, cutting us off completely, and we only had Kichwa Plain left! So we set off finding the first Banded Snake Eagle that Edwin and Brian had seen in the Mara for several years, and – even more excitingly – 20 or so Rufous-bellied Herons in stunning plumage, starting to mark out territories in the bushy islands in Little Governors Swamp. So it had been well worth the confinement!

Day 14 was another glorious morning. The birds were just incredible and we kept getting delayed by one new bird after another as we tried to get to the dining room. The most colorful was the Black-headed Gonolek, one of a pair that turned up as vagrants in the Mara a few years ago, and like it there! A male House Sparrow interested in the dining room may be a new species for the camp. This is no mean feat, considering that Brian has recorded over 475 species in, over or from the confines of Kichwa Tembo. We passed through Oloololo Gate as the Sabaringo had dropped to normal levels, and very soon we were finding quite a number of singing Black-backed Cisticolas between there and Serena. Rufous-chested Swallows were gathering mud from the puddles and a pair of Black Coucals put on a fine show. There was so much to see as we headed over the southern Mara bridge, and we had our fifth sighting of Spotted Thick-knee – they really have had a good year. In a small patch we found several displaying White-tailed Larks. We arrived at Siana Springs, had dinner, then pushed the boat out with a night drive until 11 p.m., making it a very long day. But was it ever worth it! Pride-of-place went to a splendid Caracal at close quarters, Lesser Galago, four each of Bat-eared Foxes and Black-backed Jackals, White-tailed Mongoose, both Large Spotted and Small Spotted Genets, eight Spring Hares, Crested Porcupine, 20 Cape Hares and a Gambian Rat plus numerous things easy to see in daylight. The only birds were one each of Dusky and Montane Nightjars, and several Pipits who did not want to be woken up! It stayed dry and clear all night, enabling an appreciation of a spectacular outer-world experience.

Our final morning was wonderfully spent in the valley picking up many Tabora Cisticolas and Buff-bellied Penduline-Tits, but only one Magpie Shrike. Edwin thinks they might be targets for Unato head-dresses, which would be a very sad state of affairs.

From Siana we flew back to Nairobi after saying our goodbyes to Edwin, whose overland return would take a lot longer than our 40-minute trip. Not only did Edwin chauffeur the group with expertise around central Kenya, but he was a veritable mine of information on all aspects of Kenyan life and a very capable birder and all-around naturalist with extremely sharp eyes, as he demonstrated on so many occasions. We arrived in Nairobi in time for lunch and an afternoon of rest. And then, after a delicious Indian meal, we were off to the airport for the return to more familiar territories. Despite the very unseasonal (and more-than-just-torrential) rains, it had been a very successful bird tour, and it was difficult to absorb all that we had seen in a mere two weeks, covering just a small portion of this most-birdy of countries. Only the participants will notice everything left out of this briefest of reports, for what we experienced would easily run into volumes!" – *Brian Finch*

Bird List:

Column A: Number of tours on which this species has been recorded

KENYA: Bird List...5

Column B: Number of days the species was seen on the last tour.

Column C: Greatest daily total on the last tour.

H = Heard only; (H) = Mostly heard, but seen at least once; D = Dead Heard only

A	B	C	
10	7	20	<i>Struthio camelus</i>
2			<i>Struthio molybdophanes</i>
10	10	25	<i>Numida meleagris</i>
10	2	2	<i>Acryllium vulturinum</i>
1			<i>Guttera pucherani</i>
10	2	1	H <i>Fracolinus coqui</i>
6			<i>Fracolinus shelleyi</i>
10	6	6	<i>Fracolinus sephaena</i>
7	3	4	<i>Fracolinus squamatus</i>
9	2	2	<i>Fracolinus hildebrandti</i>
5	1	10	<i>Fracolinus jacksoni</i>
10	3	2	<i>Fracolinus afer</i>
10	7	75	<i>Fracolinus leucoscepus</i>
5	1		H <i>Coturnix coturnix</i>
5			<i>Coturnix delegorguei</i>
10	5	25	<i>Dendrocygna viduata</i>
3			<i>Dendrocygna bicolor</i>
4	2	2	<i>Thalassornis leuconotus</i>
10	1	1	<i>Plectopterus gambensis</i>
10	13	80	<i>Alopochen aegyptiacus</i>
7	1	1	<i>Sarkidiornis melanotos</i>
7	1	40	<i>Anas capensis</i>
8			<i>Anas sparsa</i>
10	4	8	<i>Anas undulta</i>
10	1	250	<i>Anas clypeata</i>
10	5	15	<i>Anas erythrorhyncha</i>
5			<i>Anas acuta</i>
8	1	3	<i>Anas querquedula</i>
2			<i>Anas crecca</i>
10	2	20	<i>Anas hottentota</i>
8			<i>Netta erythrophthalma</i>
10	5	100	<i>Tachybaptus ruficollis</i>
2			<i>Podiceps cristatus</i>
7	1	6	<i>Podiceps nigricollis</i>
10	1	5000	<i>Phoenicopterus ruber</i>
10	1	3000	<i>Phoenicopterus minor</i>
10	5	100	<i>Mycteria ibis</i>
6			<i>Anastomus lamelligerus</i>
10	4	2	<i>Ciconia nigra</i>
6	1	1	<i>Ciconia abdimii</i>
10	3	2	<i>Ciconia episcopus</i>
8	1	1	<i>Ciconia ciconia</i>
10	4	3	<i>Ephippiorhynchus senegalensis</i>

KENYA: Bird List...6

10	Marabou Stork	10	21	<i>Leptoptilus crumeniferus</i>
10	Sacred Ibis	4	20	<i>Threskiornis aethiopicus</i>
10	Hadada Ibis	13	20	<i>Bostrychia hagedash</i>
1	Olive Ibis	1	H	<i>Bostrychia olovacea</i>
10	Glossy Ibis	3	15	<i>Plegadis falcinellus</i>
9	African Spoonbill	2	75	<i>Platalea alba</i>
9	Black-crowned Night-Heron	1	1	<i>Nycticorax nycticorax</i>
8	Striated Heron	2	3	<i>Butorides striatus</i>
10	Squacco Heron	3	50	<i>Ardeola ralloides</i>
1	Madagascar Pond Heron			<i>Ardeola idae</i>
10	Rufous-bellied Heron	1	20	<i>Ardeola rufiventris</i>
10	Cattle Egret	14	50	<i>Bubulcus ibis</i>
10	Grey Heron	7	30	<i>Ardea cinerea</i>
10	Black-headed Heron	12	6	<i>Ardea melanocephala</i>
10	Goliath Heron	2	5	<i>Ardea goliath</i>
5	Purple Heron			<i>Ardea purpurea</i>
10	Great Egret	6	20	<i>Ardea alba</i>
10	Intermediate Egret	4	30	<i>Egretta intermedia</i>
7	Black Heron	1	1	<i>Egretta ardesiaca</i>
10	Little Egret	4	25	<i>Egretta garzetta</i>
1	Western Reef Heron			<i>Egretta gularis</i>
6	Dimorphic Egret			<i>Egretta dimorpha</i>
10	Hamerkop	8	15	<i>Scopus umbretta</i>
10	Great White Pelican	3	20000	<i>Pelecanus onocrotalus</i>
7	Pink-backed Pelican	2	15	<i>Pelecanus rufescens</i>
10	Long-tailed Cormorant	4	3	<i>Phalacrocorax africanus</i>
10	Great Cormorant	2	5000	<i>Phalacrocorax carbo</i>
7	African Darter	3	3	<i>Anhinga rufa</i>
10	African Pygmy Falcon	1	1	<i>Polihierax semitorquatus</i>
10	Lesser Kestrel	2	8	<i>Falco naumanni</i>
10	Eurasian Kestrel	4	2	<i>Falco tinnunculus</i>
5	Rock Kestrel			<i>Falco tinnunculus rupicolus</i>
7	Greater (White-eyed) Kestrel	1	2	<i>Falco rupicoloides</i>
8	Grey Kestrel	1	1	<i>Falco ardosiaceus</i>
9	Amur Falcon	3	12	<i>Falco amurensis</i>
5	Eleonora's Falcon			<i>Falco eleonora</i>
7	Sooty Falcon			<i>Falco concolor</i>
10	Eurasian Hobby	5	3	<i>Falco subbuteo</i>
9	Lanner Falcon	3	5	<i>Falco biarmicus</i>
8	Peregrine Falcon	2	2	<i>Falco peregrinus</i>
2	Barbary Falcon	1	1	<i>Falco pelegrinoides</i>
9	Secretary Bird	4	4	<i>Sagittarius serpentarius</i>
5	African Cuckoo-Hawk	2	1	<i>Aviceda cuculoides</i>
4	Eurasian Honey-buzzard			<i>Pernis apivorus</i>
9	Black-winged Kite	6	3	<i>Elanus caeruleus</i>
10	Yellow-billed Kite	7	15	<i>Milvus migrans parasiticus</i>
10	African Fish Eagle	4	4	<i>Haliaeetus vocifer</i>
1	Bat Hawk			<i>Machaerirampus alcinus</i>
8	Hooded Vulture	1	1	<i>Necrosyrtes monachus</i>

KENYA: Bird List...7

1	Egyptian Vulture			<i>Neophron percnopterus</i>
10	African White-backed Vulture	5	20	<i>Gyps africanus</i>
10	Rüppell's Griffon Vulture	1	1	<i>Gyps ruepellii</i>
4	White-headed Vulture			<i>Trigonoceps occipitalis</i>
10	Lappet-faced Vulture	2	2	<i>Torgos tracheliotus</i>
10	Black-breasted Snake-Eagle	2	2	<i>Circaetus pectoralis</i>
10	Brown Snake Eagle	1	1	<i>Circaetus cinereus</i>
3	Banded Snake Eagle	1	1	<i>Circaetus cinerascens</i>
10	Bateleur	4	3	<i>Terathopius ecaudatus</i>
10	Eurasian Marsh Harrier	3	1	<i>Circus aeruginosus</i>
2	African Marsh Harrier			<i>Circus ranivorus</i>
10	Pallid Harrier	9	4	<i>Circus macrourus</i>
10	Montagu's Harrier	6	4	<i>Circus pygarrus</i>
10	African Harrier-Hawk	5	2	<i>Polyboroides typus</i>
10	Dark Chanting Goshawk	1	2	<i>Melierax metabates</i>
10	Eastern Chanting Goshawk	5	7	<i>Melierax poliopterus</i>
10	Gabar Goshawk	2	2	<i>Micronisus gabar</i>
10	African Goshawk	1	1	<i>Accipiter tachiro</i>
7	Shikra	1	1	<i>Accipiter badius</i>
4	African Little Sparrowhawk			<i>Accipiter minullus</i>
2	Ovampo Sparrowhawk			<i>Accipiter ovampensis</i>
2	Eurasian Sparrowhawk			<i>Accipiter niso</i>
1	Levant Sparrowhawk			<i>Accipiter brevipes</i>
2	Rufous-breasted Sparrowhawk	1	1	<i>Accipiter rufiventris</i>
10	Black (Great) Sparrowhawk	1	1	<i>Accipiter melanoleucus</i>
2	Lizard Buzzard			<i>Kaupifalco monogrammicus</i>
2	Grashopper Buzzard			<i>Butastur rufipennis</i>
10	Common (Eurasian) Buzzard	7	15	<i>Buteo buteo</i>
5	Mountain Buzzard	1		H <i>Buteo oreophilus</i>
3	Long-legged Buzzard			<i>Buteo rufinus</i>
10	Augur Buzzard	6	10	<i>Buteo augur</i>
10	Lesser Spotted Eagle	3	1	<i>Aquila pomarina</i>
5	Greater Spotted Eagle			<i>Aquila clanga</i>
10	Tawny Eagle	8	3	<i>Aquila rapax</i>
10	Steppe Eagle	6	12	<i>Aquila nipalensis</i>
2	Eastern Imperial Eagle			<i>Aquila heliaca</i>
10	Verreaux's (Black) Eagle	2	3	<i>Aquila verreauxi</i>
10	Wahlberg's Eagle	4	4	<i>Aquila wahlbergi</i>
8	African Hawk-Eagle	2	2	<i>Hieraaetus spilogaster</i>
1	Ayre's Hawk-Eagle			<i>Hieraaetus pennatus</i>
7	Booted Eagle	2	2	<i>Hieraaetus ayresii</i>
10	Martial Eagle	6	2	<i>Polemaetus bellicosus</i>
10	Long-crested Eagle	6	5	<i>Lophaetus occipitalis</i>
10	African Crowned Eagle	3	3	<i>Stephanoaetus coronatus</i>
9	Kori Bustard	3	2	<i>Ardeotis kori</i>
2	Denham's Bustard	1	1	<i>Neotis denhami</i>
10	White-bellied Bustard	6	3	<i>Eupodotis senegalensis</i>
10	Buff-crested Bustard	2	2	<i>Eupodotis ruficrista</i>
10	Black-bellied Bustard	2	14	<i>Eupodotis melanogaster</i>

KENYA: Bird List...8

10	Hartlaub's Bustard	1	2	<i>Eupodotis hartlaubii</i>
2	Buff-spotted Flufftail			<i>Sarothrura elegans</i>
8	African Water Rail	1	1	<i>Rallus caerulescens</i>
10	Black Crake	6	3	<i>Amaurornis flavirostris</i>
1	Allen's Gallinule			<i>Porphyrio alleni</i>
3	Purple Swamphe	1	1	<i>Porphyrio porphyrio</i>
10	Common Moorhen	2	1	<i>Gallinula chloropus</i>
5	Lesser Moorhen	1	2	<i>Gallinula angulata</i>
9	Red-knobbed Coot	5	50	<i>Fulica cristata</i>
1	African Finfoot			<i>Podica senegalensis</i>
10	Grey Crowned-Crane	10	68	<i>Balearica regulorum</i>
4	Common Button-quail			<i>Turnix sylvatica</i>
1	Eurasian Thick-knee (Stone-curlew)			<i>Burhinus oedicnemus</i>
1	Senegal Thick-knee			<i>Burhinus senegalensis</i>
10	Water Thick-knee	2	3	<i>Burhinus vermiculatus</i>
9	Spotted Thick-knee	5	8	<i>Burhinus capensis</i>
10	Black-winged Stilt	2	200	<i>Himantopus himantopus</i>
8	Pied Avocet	1	75	<i>Recurvirostra avosetta</i>
10	Long-toed Lapwing	2	40	<i>Vanellus crassirostris</i>
10	Blacksmith Plover	10	60	<i>Vanellus armatus</i>
10	Spur-winged Plover	3	6	<i>Vanellus spinosus</i>
10	Black-headed Lapwing	1	6	<i>Vanellus tectus</i>
5	Senegal Lapwing			<i>Vanellus lugubris</i>
10	Black-winged Lapwing	2	35	<i>Vanellus melanopterus</i>
10	Crowned Plover	10	60	<i>Vanellus coronatus</i>
10	African Wattled Lapwing	1	5	<i>Vanellus senegallus</i>
1	Grey Plover			<i>Pluvialis squatarola</i>
10	Common Ringed Plover	2	8	<i>Charadrius hiaticula</i>
6	Little Ringed Plover	1	6	<i>Charadrius dubius</i>
1	Chestnut-banded Sandplover			<i>Charadrius pallidus</i>
10	Kittlitz's Plover	3	25	<i>Charadrius pecuarius</i>
10	Three-banded Plover	8	7	<i>Charadrius tricollaris</i>
3	Lesser Sandplover			<i>Charadrius mongolus</i>
2	Greater Sandplover			<i>Charadrius leschenaultii</i>
7	Caspian Plover			<i>Charadrius asiaticus</i>
5	Greater Painted-snipe			<i>Rostratula benghalensis</i>
10	African Jacana	4	75	<i>Actophilornis africanus</i>
5	African Snipe	1	1	<i>Gallinago nigripennis</i>
10	Common Snipe	2	10	<i>Gallinago gallinago</i>
7	Black-tailed Godwit			<i>Limosa limosa</i>
1	Eurasian Curlew			<i>Numenius arquata</i>
2	Spotted Redshank			<i>Tringa erythropus</i>
10	Marsh Sandpiper	1	75	<i>Tringa stagnatilis</i>
10	Common Greenshank	4	10	<i>Tringa nebularia</i>
10	Green Sandpiper	12	13	<i>Tringa ochropus</i>
10	Wood Sandpiper	7	70	<i>Tringa glareola</i>
10	Common Sandpiper	7	15	<i>Actitis hypoleucos</i>
10	Little Stint	4	250	<i>Calidris minuta</i>
6	Temminck's Stint	2	5	<i>Calidris temminckii</i>

KENYA: Bird List...9

10	Curlew Sandpiper			<i>Calidris ferruginea</i>
1	Sanderling			<i>Calidris alba</i>
10	Ruff	3	5000	<i>Philomachus pugnax</i>
1	Ruddy Turnstone			<i>Arenaria interpres</i>
8	Temminck's Courser			<i>Cursorius temminckii</i>
10	Double-banded Courser	1	7	<i>Rhinoptilus africanus</i>
10	Heuglin's Courser	1	2	<i>Rhinoptilus cinctus</i>
10	Collared Pratincole	1	100	<i>Glareola pratincola</i>
4	Black-winged Pratincole			<i>Glareola nordmann</i>
5	Lesser Black-backed Gull	1	2	<i>Larus fuscus</i>
1	Heuglin's Gull	1	1	<i>Larus (fuscus) heuglini</i>
9	Grey-hooded Gull	1	1000	<i>Larus cirrocephalus</i>
8	Common Black-headed Gull	1	20	<i>Larus ridibundus</i>
2	Slender-billed Gull	2	4	<i>Larus genei</i>
10	Gull-billed Tern	1	250	<i>Geochilon nilotica</i>
1	Saunders's Tern			<i>Sterna saundersi</i>
10	Whiskered Tern	2	500	<i>Chlidonias hybridus</i>
10	White-winged Black Tern	3	10000	<i>Chlidonias leucopterus</i>
8	Chestnut-bellied Sandgrouse			<i>Pterocles exustus</i>
5	Yellow-throated Sandgrouse			<i>Pterocles gutturalis</i>
9	Black-faced Sandgrouse	2	4	<i>Pterocles decoratus</i>
2	Lichtenstein's Sandgrouse			<i>Pterocles lichtensteinii</i>
10	Feral Pigeon (Rock Dove)	x	x	<i>Columba livia</i>
10	Speckled Pigeon	7	40	<i>Columba guinea</i>
9	African Olive Pigeon	3	70	<i>Columba arquatrix</i>
9	Eastern Bronze-naped Pigeon	3	25	<i>Columba delegorguei</i>
1	Lemon Dove			<i>Aplopelia larvata</i>
10	Dusky Turtle Dove	2	4	<i>Streptopelia lugens</i>
10	Mourning Collared Dove	3	200	<i>Streptopelia decipiens</i>
10	Red-eyed Turtle Dove	10	25	<i>Streptopelia semitorquata</i>
10	Ring-necked Dove	13	30	<i>Streptopelia capicola</i>
10	Laughing Dove	11	25	<i>Streptopelia senegalensis</i>
10	Emerald-spotted Wood Dove	8	30	<i>Turtur chalcospilos</i>
8	Blue-spotted Wood Dove	1	2	<i>Turtur afer</i>
10	Tambourine Dove	1	2	<i>Turtur tympanistreria</i>
10	Namaqua Dove	1	1	<i>Oena capensis</i>
10	African Green Pigeon	4	10	<i>Treron calva</i>
5	Fischer's Lovebird			<i>Agapornis fischeri</i>
3	Yellow-collared Lovebird			<i>Agapornis personatus</i>
10	Red-fronted Parrot	3	30	<i>Poicephalus gulielmi</i>
9	Brown Parrot	3	3	<i>Poicephalus meyeri</i>
10	Red-bellied Parrot	3	8	<i>Poicephalus rufiventris</i>
10	Schalow's Turaco	2	1	H <i>Tauraco schalowi</i>
10	Hartlaub's Turaco	4	6	<i>Tauraco hartlaubi</i>
10	Ross's Turaco	1	2	<i>Musophaga rossae</i>
10	Bare-faced Go-away-bird	1	6	<i>Corythaixoides personata</i>
10	White-bellied Go-away-bird	5	10	<i>Corythaixoides leucogaster</i>
10	Pied (Jacobin) Cuckoo	2	1	<i>Oxylophus jacobinus</i>
4	Levaillant's Cuckoo	1	1	<i>Oxylophus levaillantii</i>

KENYA: Bird List...10

2	Great Spotted Cuckoo			<i>Clamator glandarius</i>
1	Thick-billed Cuckoo	1	1	<i>Pachycoccyx auderberti</i>
10	Red-chested Cuckoo	10	1	<i>Cuculus solitarius</i>
10	Black Cuckoo	3	3	<i>Cuculus clamosus</i>
9	Common Cuckoo	1	1	<i>Cuculus canorus</i>
7	African Cuckoo	1	2	<i>Cuculus gularis</i>
10	Klaas's Cuckoo	4	3	<i>Chrysococcyx klaas</i>
10	African Emerald Cuckoo	3	1	H <i>Chrysococcyx cupreus</i>
10	Dideric (Didric) Cuckoo	8	5	<i>Chrysococcyx caprius</i>
2	African Black Coucal	1	2	<i>Centropus grillii</i>
5	Blue-headed Coucal	1		H <i>Centropus monachus</i>
10	White-browed Coucal	6	2	<i>Centropus superciliosis</i>
5	Barn Owl			<i>Tyto alba</i>
10	Northern White-faced Owl	1	2	<i>Otus leucotis</i>
3	African Scops Owl	1	2	<i>Otus senegalensis</i>
10	Cape Eagle-owl	1	1	<i>Bubo capensis</i>
2	Spotted Eagle-Owl			<i>Bubo africanus</i>
8	Greyish Eagle-Owl	2	1	<i>Bubo cinarescens</i>
0	Verreaux's Eagle-Owl	5	3	<i>Bubo lacteus</i>
3	African Wood Owl			<i>Strix woodfordii</i>
10	Pearl-spotted Owlet	4	2	<i>Glaucidium perlatum</i>
2	Marsh Owl			<i>Asio capensis</i>
9	European Nightjar	1	3	<i>Caprimulgus europaeus</i>
9	Dusky (Sombre) Nightjar	1	1	<i>Caprimulgus fraenatus</i>
2	Nubian Nightjar			<i>Caprimulgus nubicus</i>
6	Donaldson-Smith's Nightjar			<i>Caprimulgus donaldsoni</i>
8	Montane Nightjar	2	1	<i>Caprimulgus poliocephalus</i>
1	Star-spotted Nightjar			<i>Caprimulgus stellata</i>
9	Plain Nightjar	1	1	<i>Caprimulgus inornatus</i>
10	Slender-tailed Nightjar	3	5	<i>Caprimulgus clarus</i>
1	Mozambique (Square-tailed) Nightjar			<i>Caprimulgus fossii</i>
2	Mottled Spinetailed Swift			<i>Telacanthura ussheri</i>
10	Scarce Swift	2	20	<i>Schoutedenapus myoptilus</i>
9	African Palm Swift	2	6	<i>Cypsiurus parvus</i>
10	Alpine Swift	1	2	<i>Tachymarptis melba</i>
9	Mottled Swift	1	6	<i>Tachymarptis aequatorialis</i>
10	Common Swift	2	10	<i>Apus apus</i>
10	Nyanza Swift	1	15	<i>Apus niansae</i>
2	Pallid Swift			<i>Apus pallidus</i>
4	African Swift	2	200	<i>Apus barbatus</i>
10	Little Swift	12	200	<i>Apus affinis</i>
3	Horus Swift	1	6	<i>Apus horus</i>
10	White-rumped Swift	5	8	<i>Apus caffer</i>
10	Speckled Mousebird	12	30	<i>Colius striatus</i>
7	White-headed Mousebird			<i>Colius leucocephalus</i>
10	Blue-naped Mousebird	7	12	<i>Urocolius macrourus</i>
8	Narina Trogon			<i>Apaloderma narina</i>
2	Bar-tailed Trogon	1		H <i>Apaloderma vittatum</i>
10	Rufous-crowned Roller	1	3	<i>Coracias naevia</i>

KENYA: Bird List...11

10	Lilac-breasted Roller	7	10	<i>Coracias caudata</i>
10	Eurasian Roller	3	5	<i>Coracias garrulus</i>
9	Broad-billed Roller	1	2	<i>Eurystomus glaucurus</i>
10	Grey-headed Kingfisher	6	3	<i>Halcyon leucocephala</i>
5	Brown-hooded Kingfisher			<i>Halcyon albiventris</i>
9	Striped Kingfisher	3	2	<i>Halcyon chelicuti</i>
9	Woodland Kingfisher	2	1	<i>Halcyon senegalensis</i>
9	Malachite Kingfisher	4	4	<i>Alcedo cristata</i>
5	African Pygmy Kingfisher	2	1	<i>Ceyx picta</i>
9	Giant Kingfisher	2	1	<i>Megaceryle maxima</i>
10	Pied Kingfisher	4	15	<i>Ceryle rudis</i>
10	Little Bee-eater	7	5	<i>Merops pusillus</i>
10	Cinnamon-chested Bee-eater	7	10	<i>Merops oreobates</i>
10	White-fronted Bee-eater	2	20	<i>Merops bullockoides</i>
9	Blue-cheeked Bee-eater	2	4	<i>Merops persicus</i>
7	Olive (Madagascar) Bee-eater	2	10	<i>Merops suprciliosus</i>
10	Eurasian Bee-eater	7	12	<i>Merops apiaster</i>
1	Northern Carmine Bee-eater			<i>Merops nubicoides</i>
9	Eurasian Hoopoe	1	1	<i>Upupa epops</i>
9	African Hoopoe	5	5	<i>Upupa africana</i>
9	White-headed Wood-hoopoe	1	2	<i>Phoeniculus bollei</i>
10	Green Wood-Hoopoe	3	1	<i>Phoeniculus purpureus</i>
3	Violet Wood-hoopoe	1	2	<i>Phoeniculus damarensis</i>
10	Common Scimitarbill	2	2	<i>Rhinopomastus cyanomelas</i>
9	Abyssinian Scimitarbill	4	3	<i>Rhinopomastus minor</i>
10	Crowned Hornbill	4	4	<i>Tockus alboterminatus</i>
8	Hemprich's Hornbill			<i>Tockus hemprichii</i>
10	African Grey Hornbill	3	15	<i>Tockus nasutus</i>
10	Red-billed Hornbill	4	15	<i>Tockus erythrorhynchus</i>
6	Eastern Yellow-billed Hornbill	1	3	<i>Tockus flavirostris</i>
10	Von Der Decken's Hornbill	3	10	<i>Tockus deckeni</i>
10	Jackson's Hornbill	1	10	<i>Tockus jacksoni</i>
2	Trumpeter Hornbill			<i>Bycanistes bucinator</i>
7	Black-and-white-casqued Hornbill	2	4	<i>Bycanistes subcylindricus</i>
10	Silvery-cheeked Hornbill	3	80	<i>Bycanistes brevis</i>
9	Southern Ground Hornbill	2	5	<i>Bucorvus leadbeateri</i>
10	Grey-throated Barbet	1	1	<i>Gymnobucco bonapartei</i>
2	White-eared Barbet			<i>Stactolaema leucotis</i>
9	Moustached Green Tinkerbird	2	1	<i>Pogoniulus leucomystax</i>
10	Yellow-rumped Tinkerbird	6	2	<i>Pogoniulus bilineatus</i>
10	Red-fronted Tinkerbird	4	1	<i>Pogoniulus pusillus</i>
3	Yellow-spotted Barbet			<i>Buccanodon duchaillui</i>
10	Red-fronted Barbet	4	2	<i>Tricholaema diademata</i>
10	Spot-flanked Barbet	3	2	<i>Tricholaema lacrymosa</i>
10	Black-throated Barbet	3	1	H <i>Tricholaema melanocephala</i>
10	White-headed Barbet	1	1	<i>Lybius leucocephalus</i>
6	Double-toothed Barbet	1	1	<i>Lybius bidentatus</i>
2	Yellow-billed Barbet			<i>Trachylaemus purpuratus</i>
10	Red-and-yellow Barbet	2	3	<i>Trachyphonus erthyrocephalus</i>

KENYA: Bird List...12

10	D'Arnaud's Barbet	5	3	<i>Trachyphonus darnaudii</i>
9	Usambiro Barbet	3	6	<i>Trachyphonus d. usambiro</i>
5	Green-backed (Eastern) Honeybird	1	1	<i>Prodotiscus zambesiae</i>
6	Wahlberg's Honeybird			<i>Prodotiscus regulus</i>
2	Pallid Honeyguide			<i>Indicator meliphilus</i>
2	Least Honeyguide			<i>Indicator exilis</i>
10	Lesser Honeyguide	3	1	<i>Indicator minor</i>
3	Scaly-throated Honeyguide			<i>Indicator variegatus</i>
10	Greater Honeyguide	1	1	<i>Indicator indicator</i>
10	Red-breasted Wryneck			<i>Jynx ruficollis</i>
9	Nubian Woodpecker	8	2	<i>Campethera nubica</i>
4	Golden-tailed Woodpecker	1	2	<i>Campethera abingoni</i>
7	Green-backed Woodpecker	1	1	<i>Campethera cailliautii</i>
4	Tullberg's (Fine-backed) Woodpecker			<i>Campethera tullbergi</i>
10	Cardinal Woodpecker	6	3	<i>Dendropicos fuscescens</i>
8	Bearded Woodpecker			<i>Dendropicos namaquus</i>
10	Grey Woodpecker	1	1	<i>Dendropicos goertae</i>
10	Chinspot Batis	6	2	<i>Batis molitor</i>
5	Black-headed Batis			<i>Batis minor</i>
10	Pygmy Batis	3	4	<i>Batis perkeo</i>
9	Brown-throated Wattle-eye	3	3	<i>Platysteira cyanea</i>
7	Black-throated Wattle-Eye			<i>Platysteira peltata</i>
9	White Helmet-Shrike	1	5	<i>Prionops plumatus</i>
4	Grey-crested Helmet-Shrike			<i>Prionops polioloophus</i>
2	Retz's Helmet-Shrike	1	1	<i>Prionops retzii</i>
10	Rosy-patched Bush-Shrike	3	4	<i>Rhodophoneus cruentus</i>
10	Brown-crowned Tchagra	3	1	<i>Tchagra australis</i>
10	Three-streaked Tchagra	2	1	<i>Tchagra jamesi</i>
10	Black-crowned Tchagra	2	2	<i>Tchagra senegala</i>
10	Black-backed Puffback	9	3	<i>Dryoscopus cubla</i>
9	Northern Puffback	3	1	<i>Dryoscopus gambensis</i>
9	Pringle's Puffback	2	3	<i>Dryoscopus pringlii</i>
10	Slate-coloured Boubou	7	8	<i>Laniarius funebris</i>
2	Luhder's Bush-Shrike			<i>Laniarius luehderi</i>
2	Black-headed Gonolek	1	1	<i>Laniarius erythrogaster</i>
8	Red-naped Bush-Shrike	1	3	<i>Laniarius ruficeps</i>
10	Tropical Boubou	9	4	<i>Laniarius aethiopicus</i>
10	Grey-headed Bush-Shrike	4	1	<i>Malaconotus blanchoti</i>
2	Black-fronted Bush-Shrike			<i>Chlorophoneus nigrifrons</i>
10	Sulphur-breasted Bush-Shrike	3	2	<i>Chlorophoneus sulfureopectus</i>
5	Doherty's Bush-shrike			<i>Chlorophoneus dohertyi</i>
10	Brubru	4	4	<i>Nilaus afer</i>
8	Grey Cuckoo-shrike	1	1	<i>Coracina caesia</i>
10	Black Cuckoo-shrike	1	1	<i>Campephaga flava</i>
10	Purple-throated Cuckoo-shrike	2	2	<i>Campephaga quiscalina</i>
4	Magpie Shrike	1	2	<i>Urolestes melanoleucus</i>
10	White-rumped Shrike	6	15	<i>Eurocephalus rueppelli</i>
10	Red-backed Shrike	3	6	<i>Lanius collurio</i>
10	Isabelline (Red-tailed) Shrike	7	25	<i>Lanius isabellinus</i>

KENYA: Bird List...13

3	Turkestan Shrike	1	1	<i>Lanius isabellinus pheonicuroides</i>
1	Lesser Grey Shrike			<i>Lanius minor</i>
5	Mackinnon's Fiscal			<i>Lanius mackinnoni</i>
10	Grey-backed Fiscal	2	4	<i>Lanius excubitoroides</i>
10	Long-tailed Fiscal	3	15	<i>Lanius cabanisi</i>
10	Taita Fiscal	2	3	<i>Lanius dorsalis</i>
10	Common Fiscal	11	50	<i>Lanius collaris</i>
10	Eurasian Golden Oriole	2	2	<i>Oriolus oriolus</i>
10	Mountain Oriole	3	3	<i>Oriolus percivali</i>
7	Eastern Black-headed Oriole	8	2	<i>Oriolus larvatus</i>
10	Fork-tailed (Common) Drongo	9	25	<i>Dicrurus adsimilis</i>
9	African Paradise Flycatcher	10	5	<i>Terpsiphone viridis</i>
10	Cape Crow	4	15	<i>Corvus capensis</i>
10	Pied Crow	10	40	<i>Corvus albus</i>
9	Fan-tailed Raven	2	1	<i>Corvus rhipidurus</i>
6	White-necked Raven			<i>Corvus albicollis</i>
10	White-bellied Black Tit	8	3	<i>Parus albiventris</i>
10	Red-throated Tit	2	1	<i>Parus fringillinus</i>
10	Northern Grey Tit	3	2	<i>Parus thruppi</i>
9	Mouse-coloured Penduline Tit	1	4	<i>Anthoscopus musculus</i>
3	African Penduline Tit			<i>Anthoscopus caroli</i>
5	Buff-bellied Penduline Tit	1	3	<i>Androscopus sylviaella</i>
8	White-headed Saw-wing			<i>Psalidoprocne albiceps</i>
10	Black Saw-wing	9	20	<i>Psalidoprocne holomelas</i>
6	Grey-rumped Swallow			<i>Pseudhirundo griseopyga</i>
10	Plain (African Sand) Martin	7	10	<i>Riparia paludicola</i>
10	Sand Martin	2	100	<i>Riparia riparia</i>
10	Banded Martin	4	50	<i>Riparia cincta</i>
10	Barn Swallow	10	2500	<i>Hirundo rustica</i>
9	Angola Swallow	1	2	<i>Hirundo angolensis</i>
10	Wire-tailed Swallow	7	4	<i>Hirundo smithii</i>
10	Rock Martin	8	20	<i>Ptyonoprogne fuligula</i>
9	Common House Martin	4	20	<i>Delichon urbica</i>
10	Lesser Striped Swallow	6	20	<i>Cecropis abyssinica</i>
8	Rufous-chested Swallow	1	6	<i>Cecropis semirufa</i>
10	Mosque Swallow	7	2	<i>Cecropis senegalensis</i>
10	Red-rumped Swallow	11	15	<i>Cecropis daurica</i>
5	Singing Bushlark	1	4	<i>Mirafra cantillans</i>
2	Friedmann's Lark	1	5	<i>Mirafra pulpa</i>
5	White-tailed Bushlark	1	3	<i>Mirafra albicauda</i>
10	Red-winged Bushlark	2	2	<i>Mirafra hypermetra</i>
10	Rufous-naped Bushlark	6	40	<i>Mirafra africana</i>
9	Flappet Lark	1	1	H <i>Mirafra rufocinnamomea</i>
10	Fawn-colored Bushlark	4	3	<i>Mirafra africanoides</i>
10	Pink-breasted Bushlark	4	6	<i>Mirafra peocilsterna</i>
10	Red-capped Lark	5	1000	<i>Calandrella cinerea</i>
1	Greater Short-toed Lark			<i>Calandrella brachydactyla</i>
6	Somali Short-toed Lark	1	20	<i>Calandrella somalica</i>
9	Short-tailed Lark	1	8	<i>Pseudalaemon fremantlii</i>

KENYA: Bird List...14

10	Fischer's Sparrow-Lark	5	250	<i>Eremopterix leucopareia</i>
10	Red-faced Cisticola	2	2	<i>Cisticola erythroptus</i>
10	Singing Cisticola	1	2	<i>Cisticola cantans</i>
10	Trilling Cisticola	2	1	<i>Cisticola woosnami</i>
10	Hunter's Cisticola	4	10	<i>Cisticola hunteri</i>
2	Rock-loving Cisticola			<i>Cisticola aberrans</i>
10	Rattling Cisticola	12	25	<i>Cisticola chiniana</i>
10	Ashy Cisticola	3	1	<i>Cisticola cinereolus</i>
8	Levaillant's Cisticola	1	5	<i>Cisticola levaillanti</i>
3	Wailing Cisticola			<i>Cisticola distinctus</i>
10	Winding Cisticola	4	6	<i>Cisticola galactotes</i>
10	Stout Cisticola	4	25	<i>Cisticola robusta</i>
2	Aberdare Cisticola	1	5	<i>Cisticola aberdare</i>
9	Croaking Cisticola	4	2	H <i>Cisticola natalensis</i>
9	Tiny Cisticola	2	2	<i>Cisticola nanus</i>
9	Short-winged (Siffling) Cisticola	1	8	<i>Cisticola brachypterus</i>
7	Long-tailed (Tabora) Cisticola	1	6	<i>Cisticola angusticaudus</i>
10	Zitting Cisticola	4	3	<i>Cisticola juncidis</i>
9	Desert Cisticola	3	3	<i>Cisticola aridulus</i>
3	Black-backed Cisticola	1	5	<i>Cisticola eximia</i>
10	Pectoral-patch Cisticola	6	5	<i>Cisticola brunnescens</i>
2	Wing-snapping Cisticola	1	6	<i>Cisticola ayresii</i>
10	Tawny-flanked Prinia	6	4	<i>Prinia subflava</i>
9	Pale Prinia	3	2	<i>Prinia somalica</i>
6	Banded Prinia			<i>Prinia bairdii</i>
7	White-chinned Prinia			<i>Prinia leucopogon</i>
10	Buff-bellied Warbler	4	3	<i>Phyllolais pulchella</i>
10	Black-collared Apalis	2	1	<i>Apalis pulchra</i>
10	Yellow-breasted Apalis	6	2	<i>Apalis flavida</i>
9	Brown-tailed Apalis	4	1	<i>Apalis viridiceps</i>
10	Black-throated Apalis	3	2	<i>Apalis jacksoni</i>
10	Chestnut-throated Apalis	4	1	<i>Apalis porphyrolaema</i>
10	Grey Apalis	7	4	<i>Apalis cinerea</i>
10	Red-fronted Warbler	2	1	<i>Apalis rufifrons</i>
10	Grey-capped Warbler	6	2	<i>Eminia lepida</i>
10	Grey-backed Camaroptera	12	4	<i>Camaroptera brachyura</i>
10	Grey Wren-Warbler	6	4	<i>Calamonastes simplex</i>
9	Miombo Wren-Warbler	2	1	<i>Calamonastes undosus</i>
10	Common Bulbul	12	50	<i>Pycnonotus barbatus</i>
9	Dodson's Bulbul	3	75	<i>Pycnonotus dodsoni</i>
1	Shelly's (Kakamega) Greenbul			<i>Andropadus maskuensis</i>
10	Mountain Greenbul	2	3	<i>Andropadus nigriceps</i>
1	Little Greenbul			<i>Andropadus virens</i>
10	Slender-billed Greenbul	4	4	<i>Andropadus gracilirostris</i>
10	Yellow-whiskered Greenbul	4	2	<i>Andropadus latirostris</i>
9	Sombre Greenbul	3	2	<i>Andropadus importunus</i>
2	Joyful Greenbul			<i>Chlorocichla laetissima</i>
9	Northern Brownbul	1		H <i>Phyllastrephus strepitans</i>
7	Grey-olive Greenbul			<i>Phyllastrephus cerviniventris</i>

KENYA: Bird List...15

10	Cabanis's Greenbul	1	2	<i>Phyllastrephus cabanisi</i>
5	Eastern Nicator	1	H	<i>Nicator gularis</i>
10	African Blue-flycatcher	2	5	<i>Elminia longicauda</i>
6	Broad-tailed Warbler (Grassbird)	1	H	<i>Schoenicola brevirostris</i>
9	Little Rush Warbler	4	1	<i>Bradypterus baboecala</i>
1	Evergreen Forest Warbler			<i>Bradypterus lopezi</i>
10	Cinnamon Bracken Warbler	3	2	<i>Bradypterus cinnamomeus</i>
1	Black-faced Rufous Warbler			<i>Bathmocercus rufus</i>
10	African Moustached Warbler	2	2	<i>Melocichla mentalis</i>
3	River Warbler			<i>Locustella fluviatilis</i>
5	Basra Reed Warbler			<i>Acrocephalus griseldis</i>
9	Lesser Swamp Warbler	1	1	<i>Acrocephalus gracilirostris</i>
5	Sedge Warbler			<i>Acrocephalus schoenobaenus</i>
5	Eurasian Reed Warbler			<i>Acrocephalus scirpaceus</i>
9	Marsh Warbler			<i>Acrocephalus palustris</i>
10	Olivaceous Warbler	1	1	<i>Hippolais pallida</i>
10	Upcher's Warbler	1	1	<i>Hippolais languida</i>
7	Olive Tree Warbler			<i>Hippolais olivetorum</i>
3	Icterine Warbler			<i>Hippolais icterina</i>
8	African Yellow Warbler	1	1	<i>Chloropeta natalensis</i>
10	Mountain Yellow Warbler	2	2	<i>Chloropeta similis</i>
5	Yellow-bellied Hyliota			<i>Hyliota flavigaster</i>
7	Brown Woodland Warbler	2	4	<i>Phylloscopus umbrovirens</i>
10	Willow Warbler	6	2	<i>Phylloscopus trochilus</i>
1	Chiffchaff			<i>Phylloscopus collybita</i>
1	Wood Warbler			<i>Phylloscopus sibilatrix</i>
8	Yellow-bellied Eremomela	1	2	<i>Eremomela icteropygialis</i>
9	Green-capped Eremomela	1	2	<i>Eremomela scotops</i>
10	Northern Crombec	1	3	<i>Sylvietta brachyura</i>
10	Red-faced Crombec	9	4	<i>Sylvietta whytii</i>
8	White-browed Crombec	2	1	<i>Sylvietta leucophrys</i>
10	Blackcap	5	20	<i>Sylvia atricapilla</i>
9	Garden Warbler	2	1	<i>Sylvia borin</i>
7	Barred Warbler	2	3	<i>Sylvia nisoria</i>
10	Greater Whitethroat	2	10	<i>Sylvia communis</i>
4	Brown Warbler	1	1	<i>Parisoma lugens</i>
10	Banded Warbler	3	1	<i>Parisoma boehmi</i>
10	African Hill Babbler	3	3	<i>Pseudoalcippe abyssinica</i>
5	Scaly Chatterer			<i>Turdoides aylmeri</i>
10	Rufous Chatterer	4	10	<i>Turdoides rubiginosus</i>
7	Black-lored (Sharpe's) Babbler			<i>Turdoides sharpei</i>
9	Brown Babbler	1	4	<i>Turdoides plebejus</i>
10	Arrow-marked Babbler	2	10	<i>Turdoides jardineii</i>
10	Northern Pied Babbler	1	12	<i>Turdoides hypoleucus</i>
10	Abyssinian White-eye	4	6	<i>Zosterops abyssinicus</i>
10	Yellow White-eye	2	6	<i>Zosterops senegalensis</i>
10	Montane (Broad-winged) White-eye	3	15	<i>Zosterops poliogaster</i>
10	Wattled Starling	3	15	<i>Creatophora cinerea</i>
10	Greater Blue-eared Glossy Starling	9	30	<i>Lamprotornis chalybaeus</i>

KENYA: Bird List...16

10	Ruppell's Glossy Starling	8	75	<i>Lamprotornis purpuropterus</i>
10	Golden-breasted Starling	2	4	<i>Lamprotornis regius</i>
10	Superb Starling	14	150	<i>Lamprotornis superbus</i>
10	Hildebrandt's Starling	6	10	<i>Lamprotornis hildebrandti</i>
10	Fischer's Starling	4	6	<i>Spreo fischeri</i>
10	Violet-backed (Amethyst) Starling	3	20	<i>Cinnyricinclus leucogaster</i>
10	Red-winged Starling	5	12	<i>Onychognathus morio</i>
8	Slender-billed Starling	1	3	<i>Onychognathus tenuirostris</i>
9	Waller's Starling	3	15	<i>Onychognathus walleri</i>
10	Bristle-crowned Starling	1	6	<i>Onychognathus salvadorii</i>
8	Stuhlmann's Starling			<i>Poeoptera stuhlmanni</i>
7	Kenrick's Starling	3	8	<i>Poeoptera kenricki</i>
6	Sharpe's Starling	3	5	<i>Cinnyricinclus sharpii</i>
1	Abbott's Starling			<i>Cinnyricinclus femoralis</i>
3	Magpie Starling			<i>Speculipastor bicolor</i>
10	Red-billed Oxpecker	9	15	<i>Buphagus erythrorhynchus</i>
10	Yellow-billed Oxpecker	3	3	<i>Buphagus africanus</i>
4	Abyssinian Ground Thrush	1	2	<i>Zoothera piaggiae</i>
10	Olive Thrush	6	4	<i>Turdus olivaceus</i>
10	African Thrush	2	3	<i>Turdus pelios</i>
9	Bare-eyed Thrush	3	2	<i>Turdus tephronotus</i>
8	White-starred Robin	3	3	<i>Pogonocichla stellata</i>
10	Thrush Nightingale	3	4	<i>Luscinia luscinia</i>
10	Common Nightingale	4	2	<i>Luscinia megarhynchos</i>
7	White-throated Irania			<i>Irania gutturalis</i>
10	Cape Robin-Chat	4	2	<i>Cossypha caffra</i>
10	Rüppell's Robin-Chat	3	1	<i>Cossypha semirufa</i>
10	White-browed Robin-Chat	6	6	<i>Cossypha heuglini</i>
5	Red-capped Robin-Chat			<i>Cossypha natalensis</i>
1	Snowy-crowned Robin-chat			<i>Cossypha niveicapilla</i>
10	Spotted Morning Thrush	5	4	<i>Cichladusa guttata</i>
6	Brown-backed Scrub Robin	1	2	<i>Cercotrichas hartlaubi</i>
10	White-browed Scrub Robin	7	4	<i>Cercotrichas leucophrys</i>
6	Rufous Scrub Robin			<i>Cercotrichas galactotes</i>
1	Common Redstart			<i>Phoenicurus phoenicurus</i>
10	Whinchat	1	6	<i>Saxicola rubetra</i>
5	African Stonechat	2	3	<i>Saxicola africanus</i>
10	Capped Wheatear	4	5	<i>Oenanthe pileata</i>
10	Isabelline Wheatear	5	8	<i>Oenanthe isabellina</i>
10	Northern Wheatear	10	10	<i>Oenanthe oenanthe</i>
10	Pied Wheatear	5	3	<i>Oenanthe pleschanka</i>
1	Black-eared Wheatear			<i>Oenanthe hispanica</i>
10	Abyssinian Black Wheatear	1	1	<i>Oenanthe lugubris</i>
9	Red-tailed (Familiar) Chat	1	1	<i>Cercomela familiaris</i>
10	Brown-tailed Rock Chat	1	1	<i>Cercomela scotocerca</i>
4	Hill (Moorland) Chat			<i>Cercomela sordida</i>
10	Northern Anteater Chat	5	50	<i>Myrmecocichla aethiops</i>
10	Sooty Chat	2	6	<i>Myrmecocichla nigra</i>
10	Mocking Cliff Chat	1	2	<i>Thamnolaea cinnamomeiventris</i>

KENYA: Bird List...17

10	Common Rock Thrush	4	5	<i>Monticola saxatilis</i>
10	Little Rock Thrush	2	1	<i>Monticola rufocinereus</i>
9	Pale Flycatcher	2	1	<i>Bradornis pallidus</i>
10	African Grey Flycatcher	7	15	<i>Bradornis microrhynchus</i>
10	White-eyed Slaty Flycatcher	5	15	<i>Melaenornis fischeri</i>
10	Northern Black Flycatcher	2	2	<i>Melaenornis edoloides</i>
10	Southern Black Flycatcher	1	1	<i>Melaenornis pammelaina</i>
8	Silverbird	1	1	<i>Empidonis semipartitus</i>
10	Spotted Flycatcher	7	15	<i>Muscicapa striata</i>
1	Gambaga Flycatcher			<i>Muscicapa gambagae</i>
6	Ashy Flycatcher	2	2	<i>Muscicapa caerulescens</i>
10	African Dusky Flycatcher	2	10	<i>Muscicapa adusta</i>
5	Grey (Lead-coloured) Tit-flycatcher	1		H <i>Myioparus plumbeus</i>
1	Semi-collared Flycatcher			<i>Ficedula semitorquata</i>
9	Eastern Violet-backed Sunbird	3	2	<i>Anthreptes orientalis</i>
10	Collared Sunbird	2	2	<i>Hedydipna collaris</i>
10	Green-headed Sunbird	2	1	<i>Cyanomitra verticalis</i>
8	Eastern Olive Sunbird	1		H <i>Cyanomitra olivacea</i>
10	Amethyst Sunbird	3	1	<i>Chalcomitra amethystina</i>
10	Scarlet-chested Sunbird	3	3	<i>Chalcomitra senegalensis</i>
10	Hunter's Sunbird	3	6	<i>Chalcomitra hunteri</i>
10	Tacazze Sunbird	3	2	<i>Nectarinia tacazze</i>
10	Bronze Sunbird	6	4	<i>Nectarinia kilimensis</i>
8	Malachite Sunbird	2	4	<i>Nectarinia famosa</i>
10	Golden-winged Sunbird	2	6	<i>Nectarinia reichenowi</i>
10	Northern Double-collared Sunbird	2	5	<i>Cinnyris preussi</i>
10	Eastern Double-collared Sunbird	3	10	<i>Cinnyris mediocris</i>
10	Beautiful Sunbird	3	2	<i>Cinnyris pulchella</i>
9	Mariqua Sunbird	2	2	<i>Cinnyris mariquensis</i>
10	Black-bellied Sunbird	2	4	<i>Cinnyris nectarinioides</i>
10	Purple-banded Sunbird	1	2	<i>Cinnyris bifasciata</i>
9	Tsavo Sunbird	3	6	<i>Cinnyris tsavoensis</i>
10	Variable Sunbird	6	15	<i>Cinnyris venusta</i>
10	White-browed Sparrow-Weaver	6	250	<i>Plocepasser mahali</i>
10	Grey-headed Social-Weaver	4	40	<i>Pseudonigrita arnaudi</i>
9	Black-capped Social-Weaver	1	15	<i>Pseudonigrita cabanisi</i>
10	House Sparrow	9	10	<i>Passer domesticus</i>
10	Rufous Sparrow	8	20	<i>Passer rufocinctus</i>
10	Grey-headed Sparrow	2	2	<i>Passer griseus</i>
9	Parrot-billed Sparrow	5	20	<i>Passer gongonensis</i>
7	Swahili Sparrow	1	2	<i>Passer suahelicus</i>
10	Chestnut Sparrow	2	25	<i>Passer einibey</i>
10	Yellow-spotted Petronia	6	10	<i>Petronia pyrgita</i>
10	White-billed Buffalo-Weaver	1	15	<i>Bubalornis albirostris</i>
10	Red-billed Buffalo-Weaver	4	20	<i>Bubalornis niger</i>
10	White-headed Buffalo-Weaver	6	8	<i>Dinemellia dinemelli</i>
10	Speckle-fronted Weaver	2	10	<i>Sporopipes frontalis</i>
9	Grosbeak-Weaver	2	5	<i>Amblyospiza albifrons</i>
10	Baglafaecht Weaver	10	15	<i>Ploceus baglafaecht</i>

KENYA: Bird List...18

10	Little Weaver	1	2	<i>Ploceus luteolus</i>
10	Lesser Masked Weaver	3	4	<i>Ploceus intermedius</i>
10	Vitelline Masked Weaver	3	5	<i>Ploceus vitellinus</i>
10	Spectacled Weaver	5	2	<i>Ploceus ocularis</i>
9	Black-necked Weaver	1	2	<i>Ploceus nigricollis</i>
10	African Golden Weaver	1	1	<i>Ploceus subaureus</i>
10	Holub's Golden Weaver	4	3	<i>Ploceus xanthops</i>
5	Golden Palm Weaver	1	1	<i>Ploceus bojeri</i>
10	Taveta Golden Weaver	2	10	<i>Ploceus castaneiceps</i>
10	Northern Masked Weaver	1	8	<i>Ploceus taeniopterus</i>
10	Village Weaver	5	30	<i>Ploceus cucullatus</i>
10	Speke's Weaver	10	25	<i>Ploceus spekei</i>
3	Black-headed Weaver			<i>Ploceus melancephalus</i>
10	Golden-backed Weaver	1	15	<i>Ploceus jacksoni</i>
10	Chestnut Weaver	2	10	<i>Ploceus rubiginosus</i>
10	Brown-capped Weaver	2	2	<i>Ploceus insignis</i>
10	Red-headed Weaver	2	2	<i>Anaplectes rubriceps</i>
9	Red-billed Quelea	5	500	<i>Quelea quelea</i>
5	Yellow-crowned Bishop			<i>Euplectes afer</i>
1	Fire-fronted Bishop			<i>Euplectes diadematus</i>
1	Southern Red Bishop			<i>Euplectes orix</i>
1	Northern Red Bishop			<i>Euplectes franciscanus</i>
10	Yellow Bishop	4	3	<i>Euplectes capensis</i>
10	Fan-tailed Widowbird	1	75	<i>Euplectes axillaris</i>
5	Yellow-shouldered Widowbird	1	10	<i>Euplectes macrourus</i>
10	White-winged Widowbird	3	40	<i>Euplectes albonotatus</i>
10	Red-collared Widowbird	6	20	<i>Euplectes ardens</i>
10	Long-tailed Widowbird	3	10	<i>Euplectes progne</i>
9	Jackson's Widowbird	4	50	<i>Euplectes jacksoni</i>
10	Grey-headed Negropin	2	2	<i>Nigrita canicapilla</i>
10	Green-winged Pytilia	2	10	<i>Pytilia melba</i>
2	Green-backed Twinspot	1		H <i>Mandingoa nitidula</i>
9	Cut-throat Finch	2	8	<i>Amadina fasciata</i>
4	Abyssinian Crimsonwing	1	1	<i>Cryptospiza salvadorii</i>
10	Red-billed Firefinch	5	4	<i>Lagonosticta senegala</i>
6	African Firefinch			<i>Lagonosticta rubricata</i>
6	Jameson's Firefinch	1	2	H <i>Lagonosticta rhodopareia</i>
10	Red-cheeked Cordon-bleu	7	6	<i>Uraeginthus bengalus</i>
9	Blue-capped Cordon-bleu	1	2	<i>Uraeginthus cyanocephalus</i>
10	Purple Grenadier	8	6	<i>Uraeginthus ianthinogaster</i>
8	Yellow-bellied Waxbill	1	2	<i>Estrilda quartinia</i>
10	Crimson-rumped Waxbill	1	20	<i>Estrilda rhodopyga</i>
10	Common Waxbill	5	20	<i>Estrilda astrild</i>
3	Black-crowned Waxbill			<i>Estrilda nonnula</i>
4	Black-headed Waxbill			<i>Estrilda atricapilla</i>
7	Black-faced Waxbill			<i>Estrilda erythronotus</i>
3	Red-rumped (Black-cheeked) Waxbill			<i>Estrilda chamosyna</i>
2	Zebra Waxbill			<i>Amandava subflava</i>
9	African Quail-Finch	3	100	<i>Ortygospiza atricollis</i>

KENYA: Bird List...19

4	African Silverbill			<i>Lonchura cantans</i>
8	Grey-headed Silverbill	3	1	<i>Lonchura griseicapilla</i>
10	Bronze Mannikin	3	10	<i>Lonchura cucullata</i>
10	Black-and-white Mannikin	2	3	<i>Lonchura bicolor</i>
9	Village Indigobird	2	2	<i>Vidua chalybeata</i>
2	Purple Indigobird			<i>Vidua purpurascens</i>
1	Steel-blue Whydah			<i>Vidua hypocherina</i>
10	Pin-tailed Whydah	7	40	<i>Vidua macroura</i>
9	Straw-tailed Whydah	3	4	<i>Vidua fischeri</i>
8	Eastern Paradise Whydah	2	12	<i>Vidua paradisaea</i>
2	Parasitic Weaver			<i>Anomalospiza imberbis</i>
10	Yellow Wagtail	9	1000	<i>Motacilla flava</i>
10	Cape Wagtail	4	4	<i>Motacilla capensis</i>
9	Grey Wagtail	2	1	<i>Motacilla cinerea</i>
9	Mountain Wagtail	2	3	<i>Motacilla clara</i>
5	White Wagtail			<i>Motacilla alba</i>
10	African Pied Wagtail	11	8	<i>Motacilla aguimp</i>
2	Golden Pipit			<i>Tmetothylacus tenellus</i>
5	Sharpe's Longclaw	1	1	<i>Macacnyx sharpei</i>
10	Yellow-throated Longclaw	5	10	<i>Macronyx croceus</i>
10	Pangani Longclaw	2	2	<i>Macronyx aurantiigula</i>
10	Rosy-breasted Longclaw	3	4	<i>Macronyx ameliae</i>
10	African (Grassland) Pipit	10	40	<i>Anthus cinnamomeus</i>
10	Long-billed Pipit	2	2	<i>Anthus similis</i>
10	Plain-backed Pipit	3	4	<i>Anthus leucophrys</i>
3	Buffy Pipit			<i>Anthus vaalensis</i>
10	Tree Pipit	3	2	<i>Anthus trivialis</i>
10	Red-throated Pipit	3	2	<i>Anthus cervinus</i>
5	Bush Pipit	1	1	<i>Anthus caffer</i>
6	Nairobi Pipit			<i>Anthus kisembensis</i>
10	Cape (Yellow-crowned) Canary	3	25	<i>Serinus canicollis</i>
10	African Citril	6	8	<i>Serinus citrinelloides</i>
10	Reichenow's Seedeater	6	4	<i>Serinus [atrogularis] reichenowi</i>
10	Yellow-fronted Canary	3	25	<i>Serinus mozambicus</i>
8	Southern Grosbeak-Canary	2	3	<i>Serinus buchanani</i>
10	White-bellied Canary	3	20	<i>Serinus dorsostriatus</i>
10	Brimstone Canary	7	8	<i>Serinus sulphuratus</i>
10	Streaky Seedeater	7	50	<i>Serinus striolatus</i>
10	Thick-billed Seedeater	1	6	<i>Serinus burtoni</i>
7	Oriole-finch	1	2	<i>Lingurgus olivaceus</i>
1	Ortolan Bunting			<i>Emberiza hortulana</i>
10	Cinnamon-breasted Bunting	4	4	<i>Emberiza tahapisi</i>
10	Somali Bunting	3	1	<i>Emberiza poliopleura</i>
10	Golden-breasted Bunting	4	8	<i>Emberiza flaviventris</i>

Mammals seen on the last tour:

Black-and-white (Guereza) Colobus	5	15	<i>Colobus guereza</i>
Olive Baboon	4	75	<i>Papio anubis</i>
Yellow Baboon	6	30	<i>Papio cynocephalus</i>

KENYA: Bird List...20

Vervet Monkey	9	20	<i>Cercopithecus pygerythrus</i>
Gentle (Blue) Monkey	2	10	<i>Cercopithecus mitis</i>
Gentle (Sykes) Monkey	1	1	<i>Cercopithecus mitis albobularis</i>
Red-tailed Monkey	2	10	<i>Cercopithecus ascanius</i>
Silver Galago	2	H	<i>Otolemur argentatus</i>
Greater Galago	1	2	<i>Galago major</i>
Senegal Galago (Lesser Bushbaby)	1	1	<i>Galago senegalensis</i>
Peter's Epaulet Fruit Bat	2	30	<i>Epomophorus petersi</i>
Wahlberg's Epauletted Fruit Bat	1	H	<i>Epomophorus wahlbergi</i>
Yellow-winged Bat	1	3	<i>Lavia frons</i>
Cape (African) Hare	3	20	<i>Lepus capensis</i>
Scrub Hare	1	2	<i>Lepus saxatilis</i>
Unstriped Ground Squirrel	3	30	<i>Xerus rutilus</i>
Striped Ground Squirrel	1	1	<i>Xerus erythropus</i>
Ochre Bush Squirrel	5	8	<i>Paraxerus ochraceus</i>
Crested Porcupine	1	1	<i>Hystrix cristata</i>
Rusty-nosed Rat	1	1	<i>Oenomys hypoxanthus</i>
Spring Hare	1	8	<i>Pedetes cafer</i>
Unstriped Grass Rat	1	2	<i>Avicanthis sp.</i>
Black-backed Jackal	2	4	<i>Canis mesomelus</i>
Bat-eared Fox	1	4	<i>Otocyon megalotis</i>
Ichneumon (Egyptian) Mongoose	2	3	<i>Herpestes ichneumon</i>
Black-tipped (Slender) Mongoose	1	1	<i>Herpestes sanguinea</i>
Dwarf Mongoose	2	15	<i>Helogale undulata</i>
Banded Mongoose	3	25	<i>Mungos mungo</i>
Marsh Mongoose	3	1	<i>Atilax paludinosus</i>
White-tailed Mongoose	3	2	<i>Ichneumia albicauda</i>
Zorilla	1	1	D <i>Ictonyx striatus</i>
Spotted Hyaena	7	6	<i>Crocuta crocuta</i>
Common (Large-spotted) Genet	2	1	<i>Genetta geneta</i>
Blotched Genet	2	1	<i>Genetta tigrina</i>
Caracal	1	1	<i>Felis caracal</i>
Leopard	3	1	<i>Panthera pardus</i>
Lion	4	15	<i>Panthera leo</i>
Cheetah	1	2	<i>Acinonyx jubatus</i>
Black-necked Rock Hyrax	1	2	<i>Procavia johnstoni</i>
Yellow-spotted (Bush) Hyrax	2	8	<i>Heterohyrax brucei</i>
Eastern Tree Hyrax	3	1	<i>Dendrohyrax validus</i>
African Elephant	5	150	<i>Loxodonta africana</i>
Common (Burchell's) Zebra	11	400	<i>Equus quagga burchelli</i>
Browse (Black) Rhinoceros	1	1	<i>Diceros bicornis</i>
Grass (White) Rhinoceros	2	16	<i>Ceratotherium simum</i>
Hippopotamus	5	15	<i>Hippopotamus amphibius</i>
Giant Forest Hog	1	5	<i>Hylochoerus meinertzhageni</i>
Common Warthog	6	50	<i>Pharcochoerus africanus</i>
Common (Masai) Giraffe	4	25	<i>Giraffe camelopardalis</i>
Rothchild's Giraffe	1	20	<i>Giraffe (camelopardalis) rothchildi</i>
African (Cape) Buffalo	9	400	<i>Syncerus caffer</i>
Bushbuck	6	15	<i>Tragelaphus scriptus</i>

KENYA: Bird List...21

Lesser Kudu	2	10	<i>Tragelaphus imberbis</i>
Eland	4	30	<i>Taurotragus oryx</i>
Kirk's Dikdik	5	50	<i>Rhynchotragus kirkii</i>
Bohor Reedbuck	1	7	<i>Redunca redunca</i>
Waterbuck	9	30	<i>Kobus ellipsiprymnus</i>
Thomson's (Red-fronted) Gazelle	10	1500	<i>Gazella rufifrons</i>
Grant's Gazelle	8	20	<i>Gazella granti</i>
Impala	7	300	<i>Aepyceros melampus</i>
Topi	2	300	<i>Damaliscus korrigum</i>
Kongoni (Hartebeest)	1	15	<i>Alcelaphus buselaphus</i>
Jackson's Hartebeest	1	3	<i>Alcelaphus (buselaphus) jacksoni</i>
Brindled Gnu (Wildebeest)	5	100	<i>Connochaetes taurinus</i>
Fringe-eared Oryx	1	1	<i>Oryx capensis</i>