

BULGARIA in spring

“Having heard that Bulgaria had been having a very cold spring it was a pleasant surprise to find ourselves in mild conditions in the mountains, and even more warming to see Wallcreepers within 30 seconds of getting out of the bus on our first day! Even better was the fact that they were within 10 meters of the bus, just above eye level! This was one of the first of many unforgettable moments on the tour which included such montane highlights as perched Eurasian Nutcrackers, both Firecrest and Goldcrest in the same ‘bins’ view, Black Redstarts and Ring Ouzels, Dippers, Crested Tit, Grey Wagtails and both Pallid and Alpine Swifts (the latter so close that you could hear the wind rushing their wings!)

From the mountains we wound our way into the foothills of the Eastern Rodopi mountains where raptors and storks predominated. We saw both White and Black Storks, Griffon and Egyptian Vultures, Lesser spotted and Booted Eagles, Honey and Long-legged Buzzards, Saker and Peregrine Falcons, Levant and Eurasian Sparrowhawks. A local warden took us to a viewpoint which allowed us to watch an Eastern Imperial Eagle very distantly on her nest, whilst overhead the adult male sparred with a Buzzard.

We didn't ignore the passerines though and we soon added Sombre Tit, Eastern Olivaceous, Barred and Subalpine Warblers, Western Rock Nuthatch, Isabelline and Eastern Black-eared Wheatears, Red-backed, Woodchat and Lesser Grey Shrikes, Semi-collared and Red-breasted Flycatchers, Black-headed Wagtail, Blue Rock Thrush, Ortolan and Black-headed Buntings.

Once around the wetlands we recorded both Dalmatian and White Pelicans, Pygmy Cormorants, Little Bittern, Squacco and Purple Herons, Ruddy Shelduck, Garganey and Ferruginous Ducks, White-winged, Whiskered and Black Terns, Little, Mediterranean and Slender-billed Gulls, White-tailed Eagle, Western Marsh Harrier, Eurasian Hobby and Red-footed Falcons, whilst the reedbeds were filled with Great Reed Warblers and smaller numbers of Bearded Tits, Paddyfield, Marsh and Savi's Warblers. Nearby we watched a pair of Penduline Tits building their nest, found an adult male Citrine Wagtail and migrant waders such as breeding plumage Curlew Sandpipers and Little Stints mingled with breeding Pied Avocets and Black-winged Stilts. In the clifftop step we saw our first Pied Wheatears, Stone Curlews and singing Calandra Larks with a spectacular Black Sea backdrop, with breeding plumage Black-throated Divers and Black-necked Grebes.

On one evening we watched a calling Eurasian Eagle Owl leave its daytime roost, after a full 15 minutes sitting in broad daylight. This was followed by Eurasian Nightjars in the road (the same day we had had one fly in off the sea at Durankulak in broad daylight!) meaning we had seen over 100 species in one very enjoyable day.

The woodpeckers were well represented with our views of Syrian, Middle and Lesser spotted, and both Grey-headed and Green being equalled by those of a Black Woodpecker on our final morning, not to mention the Eurasian Wryneck a day earlier! In fact the Wryneck was one of many highlights on our last full day, which culminated with prolonged views of a hovering Kingfisher along the Danube.

And then there were the also-rans....the everyday birds....what could be better when the list of birds we saw or heard nearly every day includes Hoopoe, Bee-eater, Roller, Golden Oriole, Turtle Dove, Eurasian Cuckoo, Hawfinch, Red-rumped Swallow and Nightingale!

This year wasn't a vintage one for Rosy Starlings but perseverance paid off and a group of 17 flew through on our second to last day.

Our trip was made all the more memorable by the delicious local food and drink, the friendly nature of Dancho (our local guide) whose deep laugh was highly infectious and the very considerate driving of Nikolay. I'm not sure how much fun it is being asked to stop every time we saw

BULGARIA in spring: Bird List...2

something interesting, but we saw so much he had to stop a lot! Yet another great trip and I'm already looking forward to the next trip". – James Lidster

Bird List:

Column A = Number of tours on which this species has been recorded.

Column B = Number of days this species was seen on the last tour.

Column C = Maximum daily count for this species on the last tour.

| A | | B | C | |
|---|----------------------|---|-----|-------------------------------------|
| 6 | Black-throated Diver | 1 | 3 | <i>Gavia arctica</i> |
| 7 | Little Grebe | 6 | 3 | <i>Tachybaptus ruficollis</i> |
| 7 | Great Crested Grebe | 5 | 50 | <i>Podiceps cristatus</i> |
| 3 | Black-necked Grebe | 1 | 3 | <i>Podiceps nigricollis</i> |
| 4 | Red-necked Grebe | 1 | 1 | <i>Podiceps grisegena</i> |
| 3 | Yelkouan Shearwater | | | <i>Puffinus yelkouan</i> |
| 7 | Great Cormorant | 7 | 200 | <i>Phalacrocorax carbo sinensis</i> |
| 7 | Pygmy Cormorant | 4 | 100 | <i>Phalacrocorax pygmaeus</i> |
| 7 | Shag | 1 | 20 | <i>Phalacrocorax aristotelis</i> |
| 7 | White Pelican | 2 | 170 | <i>Pelecanus onocratalus</i> |
| 7 | Dalmatian Pelican | 3 | 20 | <i>Pelecanus crispus</i> |
| 7 | Little Bittern | 4 | 3 | <i>Ixobrychus minutus</i> |
| 7 | Night Heron | 6 | 15 | <i>Nycticorax nycticorax</i> |
| 7 | Squacco Heron | 4 | 10 | <i>Ardeola ralloides</i> |
| 7 | Little Egret | 7 | 20 | <i>Egretta garzetta</i> |
| 7 | Great Egret | 3 | 1 | <i>Egretta alba</i> |
| 7 | Grey Heron | 9 | 30 | <i>Ardea cinerea</i> |
| 7 | Purple Heron | 5 | 10 | <i>Ardea purpurea</i> |
| 7 | Black Stork | 6 | 20 | <i>Ciconia nigra</i> |
| 7 | White Stork | 9 | 50 | <i>Ciconia ciconia</i> |
| 7 | Glossy Ibis | 2 | 2 | <i>Plegadis falcinellus</i> |
| 7 | Spoonbill | 3 | 20 | <i>Platalea leucorodia</i> |
| 7 | Mute Swan | 6 | 20 | <i>Cygnus olor</i> |
| 4 | Greylag Goose | 1 | 3 | <i>Anser anser</i> |
| 1 | White-fronted Goose | | | <i>Anser albifrons</i> |
| 7 | Ruddy Shelduck | 3 | 2 | <i>Tadorna ferruginea</i> |
| 7 | Shelduck | 3 | 75 | <i>Tadorna tadorna</i> |
| 7 | Gadwall | 5 | 10 | <i>Anas strepera</i> |
| 7 | Mallard | 6 | 20 | <i>Anas platyrhynchos</i> |
| 6 | Garganey | 5 | 2 | <i>Anas querquedula</i> |
| 1 | Northern Shoveler | 1 | 1 | <i>Anas clypeata</i> |
| 2 | Red-crested Pochard | | | <i>Netta rufina</i> |
| 7 | Pochard | 4 | 50 | <i>Aythya ferina</i> |
| 7 | Ferruginous Duck | 3 | 50 | <i>Aythya nyroca</i> |
| 2 | Tufted Duck | | | <i>Aythya fuligula</i> |
| 7 | Honey Buzzard | 5 | 4 | <i>Pernis apivorus</i> |
| 5 | Short-toed Eagle | 2 | 2 | <i>Circaetus gallicus</i> |
| 7 | Black Kite | 2 | 5 | <i>Milvus migrans</i> |
| 5 | White-tailed Eagle | 1 | 1 | <i>Haliaeetus albicilla</i> |

BULGARIA in spring: Bird List...3

| | | | | |
|---|------------------------|----|-----|--------------------------------|
| 7 | Egyptian Vulture | 1 | 2 | <i>Neophron percnopterus</i> |
| 7 | Griffon Vulture | 4 | 40 | <i>Gyps fulvus</i> |
| 4 | Black Vulture | | | <i>Aegyptius monachus</i> |
| 1 | Osprey | | | <i>Pandion haliaetus</i> |
| 7 | Western Marsh Harrier | 6 | 10 | <i>Circus aeruginosus</i> |
| 6 | Montagu's Harrier | 3 | 1 | <i>Circus pygargus</i> |
| 6 | Goshawk | 1 | 1 | <i>Accipiter gentilis</i> |
| 6 | Sparrowhawk | 2 | 2 | <i>Accipiter nisus</i> |
| 4 | Levant Sparrowhawk | 2 | 2 | <i>Accipiter brevipes</i> |
| 7 | Common Buzzard | 10 | 10 | <i>Buteo buteo</i> |
| 7 | Long-legged Buzzard | 4 | 2 | <i>Buteo rufinus</i> |
| 2 | Golden Eagle | | | <i>Aquila chrysaetos</i> |
| 7 | Eastern Imperial Eagle | 1 | 2 | <i>Aquila heliaca</i> |
| 7 | Lesser Spotted Eagle | 4 | 3 | <i>Aquila pomarina</i> |
| 7 | Booted Eagle | 4 | 1 | <i>Hieraeetus pennatus</i> |
| 7 | Common Kestrel | 9 | 8 | <i>Falco tinnunculus</i> |
| 5 | Red-footed Falcon | 1 | 7 | <i>Falco vespertinus</i> |
| 7 | Hobby | 5 | 6 | <i>Falco subbuteo</i> |
| 3 | Eleonora's Falcon | | | <i>Falco eleonorae</i> |
| 7 | Peregrine | 3 | 4 | <i>Falco peregrinus</i> |
| 1 | Saker Falcon | 1 | 1 | <i>Falco cherrug</i> |
| 5 | Quail | 1 | 1 | <i>Coturnix coturnix</i> |
| 2 | Pheasant | | | <i>Phasianus colchicus</i> |
| 1 | Grey Partridge | 1 | 2 | <i>Perdix perdix</i> |
| 6 | Chukar | 1 | 1 | <i>Alectoris chukar</i> |
| 4 | Water Rail | | | <i>Rallus aquaticus</i> |
| 2 | Corncrake | 1 | 1 | <i>Crex crex</i> |
| 7 | Moorhen | 5 | 5 | <i>Gallinula chloropus</i> |
| 7 | Coot | 5 | 200 | <i>Fulica atra</i> |
| 1 | Common Crane | | | <i>Grus grus</i> |
| 5 | Eurasian Oystercatcher | 1 | 1 | <i>Haematopus ostralegus</i> |
| 7 | Black-winged Stilt | 2 | 40 | <i>Himantopus himantopus</i> |
| 7 | Avocet | 2 | 60 | <i>Recurvirostra avosetta</i> |
| 7 | Collared Pratincole | 1 | 1 | <i>Glareola pratincola</i> |
| 4 | Stone-curlew | 1 | 2 | <i>Burhinus oedicnemus</i> |
| 7 | Little Ringed Plover | 3 | 2 | <i>Charadrius dubius</i> |
| 6 | Common Ringed Plover | 3 | 5 | <i>Charadrius hiaticula</i> |
| 7 | Kentish Plover | 1 | 3 | <i>Charadrius alexandrinus</i> |
| 3 | Grey Plover | | | <i>Pluvialis squatarola</i> |
| 7 | Lapwing | 5 | 5 | <i>Vanellus vanellus</i> |
| 1 | Spur-winged Plover | | | <i>Vanellus spinosus</i> |
| 2 | Ruddy Turnstone | 1 | 1 | <i>Arenaria interpres</i> |
| 4 | Ruff | 1 | 10 | <i>Philomachus pugnax</i> |
| 3 | Dunlin | 2 | 30 | <i>Calidris alpina</i> |
| 1 | Sanderling | 1 | 2 | <i>Calidris alba</i> |
| 6 | Little Stint | 2 | 200 | <i>Calidris minuta</i> |
| 7 | Curlew Sandpiper | 3 | 400 | <i>Calidris ferruginea</i> |
| 1 | Broad-billed Sandpiper | | | <i>Limicola falcinellus</i> |
| 4 | Black-tailed Godwit | | | <i>Limosa limosa</i> |

BULGARIA in spring: Bird List...4

| | | | | |
|---|---------------------------|----|-----|---------------------------------|
| 1 | Bar-tailed Godwit | | | <i>Limosa lapponica</i> |
| 1 | Curlew | | | <i>Numenius arquata</i> |
| 2 | Redshank | | | <i>Tringa totanus</i> |
| 2 | Marsh Sandpiper | | | <i>Tringa stagnatilis</i> |
| 4 | Greenshank | 2 | 1 | <i>Tringa nebularia</i> |
| 1 | Green Sandpiper | | | <i>Tringa ochropus</i> |
| 2 | Common Sandpiper | | | <i>Actitis hypoleucos</i> |
| 1 | Arctic Skua | | | <i>Stercorarius parasiticus</i> |
| 7 | Mediterranean Gull | 2 | 5 | <i>Larus melanocephalus</i> |
| 1 | Laughing Gull | | | <i>Larus atricilla</i> |
| 4 | Little Gull | 2 | 5 | <i>Larus minutus</i> |
| 7 | Black-headed Gull | 3 | 30 | <i>Larus ridibundus</i> |
| 3 | Slender-billed Gull | 1 | 1 | <i>Larus genei</i> |
| 4 | Lesser Black-backed Gull | | | <i>Larus fuscus fuscus</i> |
| 7 | Yellow-legged Gull | 9 | 100 | <i>Larus michahellis</i> |
| 2 | Caspian Gull | | | <i>Larus cachinnans</i> |
| 1 | Caspian Tern | | | <i>Sterna caspia</i> |
| 7 | Sandwich Tern | 3 | 200 | <i>Sterna sandvicensis</i> |
| 4 | Gull-billed Tern | | | <i>Sterna nilotica</i> |
| 7 | Common Tern | 6 | 50 | <i>Sterna hirundo</i> |
| 7 | Little Tern | 3 | 6 | <i>Sterna albifrons</i> |
| 7 | Whiskered Tern | 5 | 50 | <i>Chlidonias hybrida</i> |
| 7 | Black Tern | 2 | 20 | <i>Chlidonias niger</i> |
| 4 | White-winged Black Tern | 3 | 4 | <i>Chlidonias leucopterus</i> |
| 7 | Feral Pigeon | 10 | 1 | <i>Columba livia</i> |
| 7 | Wood Pigeon | 5 | 3 | <i>Columba palumbus</i> |
| 7 | Collared Dove | 8 | 20 | <i>Streptopelia decaocto</i> |
| 7 | Turtle Dove | 8 | 30 | <i>Streptopelia turtur</i> |
| 1 | Great Spotted Cuckoo | 0 | 0 | <i>Clamator glandarius</i> |
| 7 | Cuckoo | 6 | 10 | <i>Cuculus canorus</i> |
| 5 | Scops Owl | | | <i>Otus scops</i> |
| 6 | Eagle Owl | 1 | 1 | <i>Bubo bubo</i> |
| 7 | Little Owl | 2 | 2 | <i>Athene noctua</i> |
| 4 | Nightjar | 1 | 4 | <i>Caprimulgus europaeus</i> |
| 7 | Alpine Swift | 5 | 150 | <i>Apus melba</i> |
| 7 | Common Swift | 6 | 200 | <i>Apus apus</i> |
| 7 | Pallid Swift | 5 | 6 | <i>Apus pallidus</i> |
| 7 | Kingfisher | 3 | 3 | <i>Alcedo atthis</i> |
| 7 | European Bee-eater | 9 | 200 | <i>Merops apiaster</i> |
| 7 | Roller | 8 | 6 | <i>Coracias garrulus</i> |
| 7 | Hoopoe | 6 | 3 | <i>Upupa epops</i> |
| 5 | Wryneck | 1 | 1 | <i>Jynx torquilla</i> |
| 7 | Grey-headed Woodpecker | 1 | 1 | <i>Picus canus</i> |
| 7 | Green Woodpecker | 5 | 2 | <i>Picus viridis</i> |
| 5 | Black Woodpecker | 1 | 1 | <i>Dryocopus martius</i> |
| 7 | Great Spotted Woodpecker | 2 | 1 | <i>Dendrocopos major</i> |
| 7 | Syrian Woodpecker | 3 | 2 | <i>Dendrocopos syriacus</i> |
| 7 | Middle Spotted Woodpecker | 1 | 3 | <i>Dendrocopos medius</i> |
| 7 | Lesser Spotted Woodpecker | 2 | 2 | <i>Dendrocopos minor</i> |

BULGARIA in spring: Bird List...5

| | | | | |
|---|------------------------------|----|------|----------------------------------|
| 7 | Calandra Lark | 2 | 20 | <i>Melanocorypha calandra</i> |
| 4 | Short-toed Lark | 3 | 2 | <i>Calandrella brachydactyla</i> |
| 7 | Crested Lark | 7 | 10 | <i>Galerida cristata</i> |
| 7 | Woodlark | 3 | 1 | <i>Lullula arborea</i> |
| 7 | Skylark | 7 | 20 | <i>Alauda arvensis</i> |
| 7 | Sand Martin | 4 | 100 | <i>Riparia riparia</i> |
| 7 | Crag Martin | 4 | 30 | <i>Ptyonoprogne rupestris</i> |
| 7 | Barn Swallow | 10 | 1000 | <i>Hirundo rustica</i> |
| 7 | Red-rumped Swallow | 8 | 20 | <i>Hirundo daurica</i> |
| 7 | House Martin | 10 | 2000 | <i>Delichon urbica</i> |
| 7 | Tawny Pipit | 2 | 3 | <i>Anthus campestris</i> |
| 3 | Tree Pipit | | | <i>Anthus trivialis</i> |
| 2 | Citrine Wagtail | 1 | 1 | <i>Motacilla citreola</i> |
| 7 | Black-headed Wagtail | 6 | 2 | <i>Motacilla feldegg</i> |
| 7 | Grey Wagtail | 4 | 10 | <i>Motacilla cinerea</i> |
| 7 | White Wagtail | 10 | 15 | <i>Motacilla alba</i> |
| 7 | Dipper | 2 | 5 | <i>Cinclus cinclus</i> |
| 7 | Wren | 2 | 1 | <i>Troglodytes troglodytes</i> |
| 4 | Dunnock | | | <i>Prunella modularis</i> |
| 7 | Robin | 5 | 2 | <i>Erithacus rubecula</i> |
| 7 | Nightingale | 10 | 2 | <i>Luscinia megarhynchos</i> |
| 2 | Common Redstart | 1 | 1 | <i>Phoenicurus phoenicurus</i> |
| 7 | Black Redstart | 4 | 5 | <i>Phoenicurus ochruros</i> |
| 6 | Stonechat | 1 | 1 | <i>Saxicola torquata</i> |
| 1 | Whinchat | 3 | 3 | <i>Saxicola rubetra</i> |
| 7 | Isabelline Wheatear | 3 | 2 | <i>Oenanthe isabellina</i> |
| 7 | Northern Wheatear | 3 | 2 | <i>Oenanthe oenanthe</i> |
| 7 | Pied Wheatear | 1 | 10 | <i>Oenanthe pleschanka</i> |
| 7 | Eastern Black-eared Wheatear | 3 | 4 | <i>Oenanthe melanoleuca</i> |
| 2 | Rock Thrush | | | <i>Monticola saxatilis</i> |
| 6 | Blue Rock Thrush | 2 | 1 | <i>Monticola solitarius</i> |
| 7 | Blackbird | 10 | 5 | <i>Turdus merula</i> |
| 2 | Ring Ouzel | 1 | 3 | <i>Turdus torquatus</i> |
| 7 | Song Thrush | 5 | 2 | <i>Turdus philomelos</i> |
| 7 | Mistle Thrush | 2 | 6 | <i>Turdus viscivorus</i> |
| 7 | Cetti's Warbler | | | <i>Cettia cetti</i> |
| 7 | Savi's Warbler | 1 | 1 | <i>Locustella lucinioides</i> |
| 4 | River Warbler | | | <i>Locustella fluviatilis</i> |
| 7 | Paddyfield Warbler | 1 | 6 | <i>Acrocephalus agricola</i> |
| 7 | Marsh Warbler | 1 | 2 | <i>Acrocephalus palustris</i> |
| 6 | Reed Warbler | 2 | 2 | <i>Acrocephalus scirpaceus</i> |
| 7 | Great Reed Warbler | 5 | 50 | <i>Acrocephalus arundinaceus</i> |
| 7 | Eastern Olivaceous Warbler | 5 | 4 | <i>Hippolais pallida</i> |
| 7 | Olive-tree Warbler | 1 | 1 | <i>Hippolais olivetorum</i> |
| 4 | Icterine Warbler | | | <i>Hippolais icterina</i> |
| 4 | Subalpine Warbler | 1 | 3 | <i>Sylvia cantillans</i> |
| 1 | Sardinian Warbler | | | <i>Sylvia melanocephala</i> |
| 2 | Eastern Orphean Warbler | | | <i>Sylvia crassirostris</i> |
| 7 | Barred Warbler | 2 | 1 | <i>Sylvia nisoria</i> |

BULGARIA in spring: Bird List...6

| | | | | |
|---|---------------------------|----|-----|--------------------------------|
| 7 | Lesser Whitethroat | 5 | 2 | <i>Sylvia curruca</i> |
| 7 | Whitethroat | 7 | 2 | <i>Sylvia communis</i> |
| 7 | Blackcap | 3 | 4 | <i>Sylvia atricapilla</i> |
| 7 | Chiffchaff | 6 | 2 | <i>Phylloscopus collybita</i> |
| 1 | Willow Warbler | 1 | 1 | <i>Phylloscopus trochilus</i> |
| 1 | Wood Warbler | | | <i>Phylloscopus sibilatrix</i> |
| 2 | Eastern Bonelli's Warbler | | | <i>Phylloscopus orientalis</i> |
| 4 | Goldcrest | 1 | 1 | <i>Regulus regulus</i> |
| 4 | Firecrest | 2 | 2 | <i>Regulus ignicapillus</i> |
| 7 | Spotted Flycatcher | 4 | 2 | <i>Muscicapa striata</i> |
| 7 | Semi-collared Flycatcher | 2 | 4 | <i>Ficedula semitorquata</i> |
| 2 | Red-breasted Flycatcher | 1 | 3 | <i>Ficedula parva</i> |
| 5 | Bearded Tit | 1 | 10 | <i>Panurus biarmicus</i> |
| 4 | Long-tailed Tit | 1 | 2 | <i>Aegithalos caudatus</i> |
| 7 | Marsh Tit | 1 | 1 | <i>Poecile palustris</i> |
| 1 | Willow Tit | | | <i>Poecile montanus</i> |
| 5 | Sombre Tit | 1 | 1 | <i>Parus lugubris</i> |
| 4 | Crested Tit | 1 | 2 | <i>Parus cristatus</i> |
| 7 | Coal Tit | 2 | 2 | <i>Parus ater</i> |
| 7 | Blue Tit | 7 | 5 | <i>Parus caeruleus</i> |
| 7 | Great Tit | 8 | 10 | <i>Parus major</i> |
| 7 | Nuthatch | 3 | 2 | <i>Sitta europea</i> |
| 6 | Western Rock Nuthatch | 1 | 1 | <i>Sitta neumayer</i> |
| 7 | Wallcreeper | 1 | 4 | <i>Tichodroma muraria</i> |
| 3 | Eurasian Treecreeper | | | <i>Certhia familiaris</i> |
| 7 | Short-toed Treecreeper | 3 | 2 | <i>Certhia brachydactyla</i> |
| 7 | Penduline Tit | 2 | 3 | <i>Remiz pendulinus</i> |
| 7 | Red-backed Shrike | 8 | 20 | <i>Lanius collurio</i> |
| 7 | Lesser Grey Shrike | 6 | 20 | <i>Lanius minor</i> |
| 7 | Woodchat Shrike | 3 | 5 | <i>Lanius senator</i> |
| 6 | Masked Shrike | | | <i>Lanius nubicus</i> |
| 7 | Golden Oriole | 8 | 10 | <i>Oriolus oriolus</i> |
| 7 | Jay | 8 | 4 | <i>Garrulus glandarius</i> |
| 7 | Magpie | 10 | 10 | <i>Pica pica</i> |
| 5 | Nutcracker | 1 | 3 | <i>Nucifraga caryocatactes</i> |
| 7 | Jackdaw | 10 | 30 | <i>Corvus monedula</i> |
| 6 | Rook | 1 | 50 | <i>Corvus frugeligus</i> |
| 7 | Hooded Crow | 10 | 10 | <i>Corvus cornix</i> |
| 7 | Raven | 5 | 10 | <i>Corvus corax</i> |
| 7 | Starling | 10 | 300 | <i>Sturnus vulgaris</i> |
| 7 | Rose-coloured Starling | 1 | 17 | <i>Sturnus roseus</i> |
| 7 | House Sparrow | 10 | 10 | <i>Passer domesticus</i> |
| 7 | Spanish Sparrow | 7 | 20 | <i>Passer hispaniolensis</i> |
| 7 | Tree Sparrow | 8 | 10 | <i>Passer montanus</i> |
| 7 | Chaffinch | 8 | 10 | <i>Fringilla coelebs</i> |
| 7 | Serin | 1 | 2 | <i>Serinus serinus</i> |
| 7 | Greenfinch | 7 | 6 | <i>Carduelis chloris</i> |
| 7 | Goldfinch | 8 | 10 | <i>Carduelis carduelis</i> |
| 7 | Linnet | 2 | 3 | <i>Carduelis cannabina</i> |

BULGARIA in spring: Bird List...7

| | | | | |
|---|----------------------|---|----|--------------------------------------|
| 4 | Crossbill | | | <i>Loxia curvirostra</i> |
| 7 | Bullfinch | 1 | 3 | <i>Pyrrhula pyrrhula</i> |
| 7 | Hawfinch | 6 | 4 | <i>Coccothraustes coccothraustes</i> |
| 7 | Yellowhammer | 2 | 1 | <i>Emberiza citrinella</i> |
| 7 | Cirl Bunting | 2 | 5 | <i>Emberiza cirlus</i> |
| 3 | Rock Bunting | | | <i>Emberiza cia</i> |
| 6 | Reed Bunting | 1 | 1 | <i>Emberiza schoeniclus</i> |
| 7 | Ortolan Bunting | 1 | 5 | <i>Emberiza hortulana</i> |
| 7 | Black-headed Bunting | 9 | 10 | <i>Emberiza melanocephala</i> |
| 7 | Corn Bunting | 9 | 40 | <i>Miliaria calandra</i> |