

CHINA - LHASA AND THE TIBETAN PLATEAU

“We’d not been on site for long and were only just beginning to get into habitat when suddenly there it was, perched less than ten metres away. It flew almost as soon as it had been spotted – and it didn’t stop flying! This was our first encounter with Pink-tailed Bunting, a taxonomic enigma that was once a rosefinch but is now a bunting with its own family, and it had been far from satisfactory! It’d take us a full day before we’d rectify the situation and would ALL have views of this gorgeous Qinghai-Tibetan Plateau sprite and even then the bunting, easily the most sought after species on the entire trip, didn’t win the end of tour ‘Bird of the Trip’ poll. Honours went instead to one of the last species we added to our trip list – the largest Tibetan endemic Tibetan Eared Pheasant. The pheasant was one of the first species we encountered on our final day’s birding and several of us had been dreading the strenuous hike up to the Nunnery and were secretly hoping that we wouldn’t have to do it! We were lucky and, after hearing several birds from the car park, we eventually succeeded in seeing them. They were distant but remained out in the open in a high altitude meadow for long enough to allow us all to have repeated ‘scope views. Nevertheless they were distant and we were left wanting more. Sure enough they came closer, and close, and closer and then stayed close until we were satiated. That stunning encounter, of a close-range covey of 12 birds that we eventually walked away from, easily romped away with the end of tour poll...

The tour started well with two full days at Huzhu Bei Shan – a fabulous forested reserve to the north of Xining. On many of our previous visits we’ve camped here, but the road’s been improved to such an extent that we are now able to do day visits from Qinghai’s historic provincial capital. As always we have a number of targets here - Gansu Leaf Warbler fell easily but Przewalsky’s Nuthatch demanded much more effort before it was satisfactorily bagged. Other goodies included an obliging party of four Tibetan Snowcocks, umpteen gorgeous redstarts, Chinese Nuthatch, White-browed Tit, the confusingly similarly named White-browed Tit-warbler, two Black Woodpeckers and an incredibly cooperative Spotted Bush Warbler to mention but a few.

We ventured up on to the Plateau proper the next day. The habitat and avifauna changed as we ascended and rolling grasslands thronged with larks soon became the main scenic feature. Our breakfast stop produced our first Brown Accentors and Pine Bunting, our next stop Mongolian Lark and Woolly Hare and not much later a field full of yaks, goats and majestic Tibetan Larks! Nor did we neglect Qinghai Lake, Koko Nur to some, with its waterfowl, gulls and modest numbers of migrant shorebirds. Here a family part of majestic Black-necked Cranes graced a small marsh while huge numbers of Red-crested Pochard and Great Crested Grebes vied for our attention out on the water. It was also on one of the area’s scrub covered hillsides that overlook the lake where we saw the Pink-tailed Buntings noted earlier as well as our first Lammergeiers, Robin Accentors and our only Ala Shan Redstarts or the tour.

Moving on we paused on the Rubber Mountain Pass to enjoy breakfast before descending in to the deserts to the west. We were unable to find the White-winged Redstarts that have enthralled us here in the past – that species would have to wait a couple more days. We’d no sooner crossed the pass than a superbly cooperative Rusty-necklaced Partridge lured us off the road and back towards a small farming croft. Mongolian Finch, Plain-backed Snowfinch and several Rufous-tailed Shrikes were all added to our list during the blisteringly hot afternoon but it took us until the following morning before we found another primary target in the form of a pair of Mongolian Ground-jays. The very next day we switched to two smaller vehicles as we scurried up to 4500 metres in a successful search for some higher altitude species such as Plain and Brandt’s Mountain Finches, Tibetan Rosefinch and White-winged Redstart. It was here too that we saw our only Cinereous Vulture and no less than 80 White-winged (or Henri’s) Snowfinches.

We all spent a portion of the following morning watching Plain, our sixth and final species of snowfinch, back at Koko Nur before we had to scoot back to Xining. We had a train to catch.

CHINA – Lhasa and the Tibetan Plateau: Bird List...2

For many the 24 hour train journey from Xining to Lhasa was a highlight of the trip – the beds were comfortable (if a little short for some), the company outstanding and the scenery on this, the planet's highest rail road, often stunning. Scaling the Tangula Shan Pass, that peaks at a mighty 5072 metres, the rail trip also produced an impressive number of interesting birds including no-less-than 44 Upland Buzzards, 22 Saker Falcons, 52 Ravens and 88 Hoopoes! But it was the seven species of mammal that included 19 Tibetan Antelope, 230 Tibetan Gazelle and 161 Kiang (or Tibetan Wild Ass) that were the real highlights of the journey.

Lhasa lived up to our expectations and we spent much of our first full day in Tibet watching several more highly sought after species – with Pink-rumped Rosefinch, Tibetan Eared Pheasant, Brown-cheeked Laughingthrush, Giant Babax Tibetan Partridge not only falling in rapid succession but all providing superb views!

And then, after a final day of sightseeing in and around the Potala and the Jokhang Temple and all too soon, it was all over and time to head back to Beijing. We'd seen so much in the two weeks we'd been in China and, while this hadn't been the first trip to China for most of us the country's changing so rapidly that even the seasoned travellers among us had been surprised at the revelation it had been. We'd marvelled at Beijing and the massive construction projects that were underway there and elsewhere; we'd gawped at the contrast between the cities and rural China where fields were still being ploughed by bullocks and grain dried on the roads. We'd been treated to some outstanding food, met some delightful people and basically had a thoroughly good time. Right now is clearly **the** time to be visiting China.

Once again however we experienced much more than just a tally of birds and mammals. We experienced the *real* China - the warm hospitality, the friendliness of our guides and drivers and of course the food. The varied and plentiful food is, for many, a particularly appealing feature of Sunbird's China tours and the culinary curiosities and delights never ceased...I can still hear Qingyu asking if anyone would like another apple, a banana, a Snicker, a chicken foot!

The views we had up on the Qinghai-Tibetan Plateau were often truly spectacular. Distant, and sometimes not so distant, snow-capped peaks, glaciers, the seemingly endless rolling Tibetan steppe grassland dotted with domesticated yaks, goats and sheep and with the turquoise waters of Qinghai Hu as a back-drop. Who wouldn't have been impressed." – *Paul Holt*

CHINA – Lhasa and the Tibetan Plateau: Bird List...3

Bird List:

The ornithological taxonomy, nomenclature and order follow those used in the preferred regional field guide, MacKinnon, J. and Phillipps, K. (2000). *A Field Guide to the Birds of China*. Oxford University Press. Except where marked with an asterisk *

The animal taxonomy, nomenclature and order follow Smith, A. & Xie, Y. (2008). *A Guide to the Mammals of China*. Princeton University Press, Princeton & Oxford.

No leader or participant only species are included on the bird list. Only species that were seen, or heard, by the leader and at least one participant are included.

Key to the status codes:

Column A = Number of tours on which this species was recorded

Column B = total number of days that the species was recorded

Column C = maximum daily count for that particular species

H = denotes a species that was heard but was not seen

Globally threatened species as defined by BirdLife International (2004) *Threatened birds of the world 2004* CD-Rom Cambridge, U.K. BirdLife International are identified as follows: EN = Endangered; VU = Vulnerable; NT = Near-threatened.

Chinese endemics and endemic breeders are also highlighted.

A		B	C	
3	Tibetan Snowcock	1	4	<i>Tetraogallus tibetanus</i>
1	Chestnut-throated [Monal] Partridge (End)			<i>Tetraophasis obscurus</i>
1	Rusty-necklaced Partridge (End)	1	2	<i>Alectoris magna</i>
1	Daurian Partridge			<i>Perdix dauurica</i>
3	Tibetan Partridge	1	4	<i>Perdix hodgsoniae</i>
3	Tibetan Eared Pheasant	1	15	<i>Crossoptilon harmani</i>
2	Blue Eared Pheasant (End)			<i>Crossoptilon auritum</i>
3	Common Pheasant	2	8	<i>Phasianus colchicus</i>
2	Chinese Grouse (NT)(End)			<i>Tetrastes sewerzowi</i>
1	Whooper Swan			<i>Cygnus cygnus</i>
3	Greylag Goose	2	20	<i>Anser anser</i>
3	Bar-headed Goose	4	300	<i>Anser indicus</i>
3	Ruddy Shelduck	5	100	<i>Tadorna ferruginea</i>
1	Eurasian Wigeon			<i>Anas penelope</i>
3	Mallard	1	15	<i>Anas platyrhynchos</i>
1	Chinese Spot-billed Duck			<i>Anas zonorhyncha</i>
1	Chinese or Indian Spot-billed Duck			<i>Anas zonorhyncha</i> or <i>A. poecilorhyncha</i>
1	Northern Pintail			<i>Anas acuta</i>
1	Common Teal			<i>Anas crecca</i>
3	Red-crested Pochard	3	2500	<i>Rhodonessa rufina</i>
3	Common Pochard	2	110	<i>Aythya ferina</i>
3	Tufted Duck	4	40	<i>Aythya fuligula</i>
2	Common Goldeneye	2	2	<i>Bucephala clangula</i>
2	Common Merganser			<i>Mergus merganser</i>
1	Eurasian Wryneck			<i>Jynx torquilla</i>

CHINA – Lhasa and the Tibetan Plateau: Bird List...4

3	Great Spotted Woodpecker	1	1	H	<i>Dendrocopos major</i>
2	Black Woodpecker	1	2		<i>Dryocopus martius</i>
2	Grey-headed Woodpecker				<i>Picus canus</i>
3	Eurasian Hoopoe	11	51		<i>Upupa epops</i>
2	Common Cuckoo				<i>Cuculus canorus</i>
3	Common Swift	6	30		<i>Apus apus</i>
3	Fork-tailed Swift	5	100		<i>Apus pacificus</i>
2	Little Owl				<i>Athene noctua</i>
3	Feral Rock Pigeon	6	100		<i>Columba livia</i>
3	Hill Pigeon	10	60		<i>Columba rupestris</i>
3	Oriental Turtle Dove	3	40		<i>Streptopelia orientalis</i>
2	Spotted Dove	1	1		<i>Streptopelia chinensis</i>
3	Eurasian Collared Dove	5	4		<i>Streptopelia decaocto</i>
3	Black-necked Crane (VU)	3	17		<i>Grus nigricollis</i>
1	Common Moorhen	2	4		<i>Gallinula chloropus</i>
3	Eurasian Coot	3	20		<i>Fulica atra</i>
1	Common Snipe				<i>Gallinago gallinago</i>
2	Black-tailed Godwit				<i>Limosa limosa</i>
2	Eurasian Curlew				<i>Numenius arquata</i>
1	Spotted Redshank				<i>Tringa erythropus</i>
3	Common Redshank	5	42		<i>Tringa totanus</i>
3	Common Greenshank	2	3		<i>Tringa nebularia</i>
3	Green Sandpiper	1	1		<i>Tringa ochropus</i>
3	Wood Sandpiper	3	6		<i>Tringa glareola</i>
1	Terek Sandpiper				<i>Xenus cinereus</i>
3	Common Sandpiper	3	1		<i>Actitis hypoleucos</i>
1	Red-necked Stint				<i>Calidris ruficollis</i>
3	Temminck's Stint	1	3		<i>Calidris temminckii</i>
1	Long-toed Stint				<i>Calidris subminuta</i>
1	Sharp-tailed Sandpiper				<i>Calidris acuminata</i>
3	Curlew Sandpiper	1	2		<i>Calidris ferruginea</i>
1	Pacific Golden Plover				<i>Pluvialis fulva</i>
1	Little Ringed Plover				<i>Charadrius dubius</i>
3	Kentish Plover	4	25		<i>Charadrius alexandrinus</i>
3	Lesser Sand Plover	2	3		<i>Charadrius mongolus</i>
1	Greater Sand Plover				<i>Charadrius leschenaultii</i>
3	Pallas's Gull	5	305		<i>Larus ichthyaetus</i>
3	Brown-headed Gull	4	10		<i>Larus brunnicephalus</i>
3	Black-headed Gull	2	8		<i>Larus ridibundus</i>
1	Little Gull				<i>Larus minutus</i>
1	Caspian Tern				<i>Hydroprogne caspia</i>
3	Common Tern	6	56		<i>Sterna hirundo</i>
3	Whiskered Tern	1	3		<i>Chlidonias hybridus</i>
1	White-winged Black Tern	1	1		<i>Chlidonias leucopterus</i>
3	Black Kite	1	1		<i>Milvus migrans lineatus</i>
3	Pallas's Fish Eagle (VU)	1	3		<i>Haliaeetus leucoryphus</i>
3	Lammergeier	4	3		<i>Gypaetus barbatus</i>
3	Himalayan Griffon	6	17		<i>Gyps himalayensis</i>
2	Cinereous Vulture (NT)	1	1		<i>Aegypius monachus</i>

CHINA – Lhasa and the Tibetan Plateau: Bird List...5

2	Eurasian Sparrowhawk			<i>Accipiter nisus</i>
2	Northern Goshawk	1	1	<i>Accipiter gentilis</i>
3	Accipiter sp.	1	1	<i>Accipiter sp.</i>
3	Himalayan Buzzard	1	1	<i>Buteo biarmicus</i>
3	Upland Buzzard	7	44	<i>Buteo hemilasius</i>
3	Golden Eagle	1	1	<i>Aquila chrysaetos</i>
3	Common Kestrel	6	4	<i>Falco tinnunculus</i>
1	Amur Falcon			<i>Falco amurensis</i>
2	Eurasian Hobby			<i>Falco subbuteo</i>
3	Saker Falcon (EN)	1	22	<i>Falco cherrug</i>
3	Great Crested Grebe	5	442	<i>Podiceps cristatus</i>
3	Black-necked Grebe	2	4	<i>Podiceps nigricollis</i>
3	Great Cormorant	5	390	<i>Phalacrocorax carbo</i>
3	Grey Heron	2	5	<i>Ardea cinerea</i>
2	Cattle Egret	1	1	<i>Bubulcus ibis</i>
1	Chinese Pond Heron	1	1	<i>Ardeola bacchus</i>
3	Rufous-tailed Shrike	1	2	<i>Lanius isabellinus</i>
2	Brown Shrike	1	1	<i>Lanius cristatus</i>
3	Grey-backed Shrike	7	4	<i>Lanius tephronotus</i>
1	Chinese Grey Shrike	1	1	<i>Lanius sphenocercus giganteus</i>
3	Eurasian Jay	1	5	<i>Garrulus glandarius</i>
2	Azure-winged Magpie	1	40	<i>Cyanopica cyanus</i>
3	Black-billed Magpie	7	8	<i>Pica pica</i>
3	Mongolian Ground-jay	1	2	<i>Podoces hendersoni</i>
3	Hume's Groundpecker	7	50	<i>Pseudopodoces humilis</i>
3	Red-billed Chough	9	75	<i>Pyrrhocorax pyrrhocorax</i>
2	Daurian Jackdaw	1	150	<i>Corvus dauuricus</i>
3	Rook	1	50	<i>Corvus frugilegus</i>
2	Carrion Crow	2	1	<i>Corvus corone</i>
3	Large-billed Crow	2	10	<i>Corvus macrorhynchos</i>
3	Common Raven	2	52	<i>Corvus corax</i>
2	Black Drongo	1	1	<i>Dicrurus macrocercus</i>
3	White-throated Dipper	1	2	<i>Cinclus cinclus</i>
1	Rufous-tailed Rock Thrush			<i>Monticola saxatilis</i>
3	Tibetan Blackbird	1	15	<i>Turdus (merula) maximus</i>
2	Chestnut Thrush	1	3	<i>Turdus rubrocanus</i>
2	Kessler's Thrush (End br.)			<i>Turdus kessleri</i>
1	Grey-streaked Flycatcher			<i>Muscicapa griseisticta</i>
3	Siberian Rubythroat	1	2	<i>Luscinia calliope</i>
1	White-tailed Rubythroat			<i>Luscinia pectoralis</i>
3	Northern Orange-flanked Bush Robin	1	2	<i>Tarsiger cyanurus</i>
2	Ala Shan Redstart (NT)(End)	1	2	<i>Phoenicurus alaschanicus</i>
3	Black Redstart	6	15	<i>Phoenicurus ochruros</i>
3	Hodgson's Redstart (End)	3	10	<i>Phoenicurus hodgsoni</i>
3	White-throated Redstart	1	3	<i>Phoenicurus schisticeps</i>
1	Daurian Redstart			<i>Phoenicurus aureus</i>
3	White-winged Redstart	1	5	<i>Phoenicurus erythrogaster</i>
3	Blue-fronted Redstart	4	15	<i>Phoenicurus frontalis</i>
3	White-capped Water Redstart	3	5	<i>Chaimarrornis leucocephalus</i>

CHINA – Lhasa and the Tibetan Plateau: Bird List...6

3	Plumbeous Water Redstart				<i>Rhyacornis fuliginosus</i>
2	White-bellied Redstart	1	1	H	<i>Hodgsonius phaenicuroides</i>
3	Common Stonechat	1	1		<i>Saxicola torquata</i>
1	Pied Wheatear				<i>Oenanthe pleschanka</i>
2	Desert Wheatear				<i>Oenanthe deserti</i>
3	Isabelline Wheatear	6	20		<i>Oenanthe isabellina</i>
1	White-cheeked Starling				<i>Sturnus cineraceus</i>
1	Rosy Starling				<i>Pastor roseus</i>
3	Chinese Nuthatch	1	2		<i>Sitta villosa</i>
3	Przewalsky's Nuthatch (End)	1	3		<i>Sitta przewalskii</i>
2	Wallcreeper				<i>Tichodroma muraria</i>
3	Eurasian Treecreeper	2	3		<i>Certhia familiaris</i>
2	Winter Wren	1	1	H	<i>Troglodytes troglodytes</i>
1	Marsh Tit				<i>Parus palustris</i>
3	Willow Tit	2	6		<i>Parus montanus</i>
3	White-browed Tit (End)	2	2		<i>Parus superciliosus</i>
2	Rufous-vented Tit				<i>Parus rubidiventris</i>
3	Grey-crested Tit	1	2		<i>Parus dichrous</i>
3	Great Tit	3	4		<i>Parus major</i>
1	Long-tailed Tit				<i>Aegithalos caudatus</i>
3	Pale Martin	4	50		<i>Riparia diluta</i>
3	Eurasian Crag Martin	2	10		<i>Hirundo rupestris</i>
3	Barn Swallow	1	4		<i>Hirundo rustica</i>
1	Red-rumped Swallow				<i>Hirundo daurica</i>
3	Asian House Martin	2	6		<i>Delichon dasypus</i>
1	Light-vented Bulbul				<i>Pycnonotus sinensis</i>
2	Spotted Bush Warbler	1	1		<i>Bradypterus thoracicus</i>
3	White-browed Tit Warbler	3	8		<i>Leptopoecile sophiae</i>
3	Dusky Warbler	3	3		<i>Phylloscopus fuscatus</i>
3	Tickell's Leaf Warbler	5	8		<i>Phylloscopus affinis</i>
3	Yellow-streaked Warbler	1	3		<i>Phylloscopus armandii</i>
3	Buff-barred Warbler	1	1		<i>Phylloscopus pulcher</i>
3	Gansu Leaf Warbler (End)	2	4		<i>Phylloscopus kansuensis</i>
2	Chinese Leaf Warbler (End br.)				<i>Phylloscopus yunnanensis</i>
3	Hume's Warbler	2	10		<i>Phylloscopus humei</i>
3	Greenish Warbler	2	6		<i>Phylloscopus trochiloides</i>
2	Large-billed Leaf Warbler				<i>Phylloscopus magnirostris</i>
3	Plain Laughingthrush (End)	2	2		<i>Garrulax davidi</i>
3	Elliot's Laughingthrush	2	8		<i>Garrulax elliotii</i>
3	Brown-cheeked Laughingthrush (End)	1	15		<i>Garrulax henrici</i>
3	Giant Babax (NT)	1	3		<i>Babax waddelli</i>
3	Tibetan Lark	2	50		<i>Melanocorypha maxima</i>
3	Mongolian Lark	1	3		<i>Melanocorypha mongolica</i>
3	Hume's Short-toed Lark	6	20		<i>Calandrella acutirostris</i>
3	Crested Lark	1	1		<i>Galerida cristata</i>
3	Oriental Skylark	7	50		<i>Alauda gulgula</i>
3	Horned Lark	7	30		<i>Eremophila alpestris</i>
2	Russet Sparrow				<i>Passer rutilans</i>
3	Eurasian Tree Sparrow	11	300		<i>Passer montanus</i>

CHINA – Lhasa and the Tibetan Plateau: Bird List...7

3	Rock Sparrow	6	50	<i>Petronia petronia</i>
2	White-winged Snowfinch	1	80	<i>Montifringilla nivalis</i>
3	Tibetan Snowfinch	4	5	<i>Montifringilla adamsi</i>
3	White-rumped Snowfinch	2	20	<i>Pyrgilauda taczanowskii</i>
2	Small Snowfinch	1	6	<i>Pyrgilauda davidiana</i>
3	Rufous-necked Snowfinch	4	10	<i>Pyrgilauda ruficollis</i>
3	Plain-backed Snowfinch	3	30	<i>Pyrgilauda blanfordi</i>
3	White Wagtail	7	8	<i>Motacilla alba</i>
	" "	4	8	" " <i>alboides</i>
	" "	1	1	" " <i>leucopsis</i> or <i>ocularis</i>
1	'Yellow Wagtail sp.'	1	1	<i>Motacilla flava</i> or <i>M. tschutschensis</i>
3	Citrine Wagtail	2	2	<i>Motacilla citreola</i>
1	Grey Wagtail			<i>Motacilla cinerea</i>
3	Richard's Pipit	4	2	<i>Anthus richardi</i>
	Blyth's Pipit			<i>Anthus godlewski</i>
3	Olive-backed Pipit	2	6	<i>Anthus hodgsoni</i>
3	Rosy Pipit	4	10	<i>Anthus roseatus</i>
3	Water Pipit	1	1	<i>Anthus spinoletta</i>
3	Robin Accentor	3	6	<i>Prunella rubeculoides</i>
3	Rufous-breasted Accentor	3	6	<i>Prunella strophiatea</i>
3	Brown Accentor	3	5	<i>Prunella fulvescens</i>
3	Grey-capped Greenfinch	1	2	<i>Carduelis sinica</i>
1	Eurasian Siskin			<i>Carduelis spinus</i>
3	Twite	7	20	<i>Carduelis flavirostris</i>
2	Plain Mountain Finch	1	2	<i>Leucosticte nemoricola</i>
2	Brandt's Mountain Finch	1	2	<i>Leucosticte brandti</i>
3	Mongolian Finch	1	2	<i>Bucanetes mongolicus</i>
1	Desert Finch			<i>Rhodospiza obsoleta</i>
3	Common Rosefinch	2	10	<i>Carpodacus erythrinus</i>
3	Chinese Beautiful Rosefinch	3	3	<i>Carpodacus davidianus</i>
3	Pink-rumped Rosefinch (End)	1	20	<i>Carpodacus eos</i>
3	Chinese White-browed Rosefinch	2	6	<i>Carpodacus thura</i>
3	Streaked Rosefinch	4	6	<i>Carpodacus rubicilloides</i>
1	Red-fronted Rosefinch			<i>Carpodacus puniceus</i>
2	Tibetan Rosefinch (End)	1	5	<i>Carpodacus roborowskii</i>
2	Red Crossbill			<i>Loxia curvirostra</i>
3	Grey-headed Bullfinch	2	2	<i>Pyrrhula erythaca</i>
3	White-winged Grosbeak	1	2	H <i>Mycerobas carnipes</i>
3	Pink-tailed Bunting (End)	2	2	<i>Urocynchramus pylzowi</i>
3	Pine Bunting	1	3	<i>Emberiza leucocephala</i>
3	Godlewski's Bunting	2	5	<i>Emberiza godlewskii</i>
1	Meadow Bunting			<i>Emberiza cioides</i>
1	Yellow-breasted Bunting			<i>Emberiza aureola</i>
1	Black-faced Bunting			<i>Emberiza spodocephala</i>

Mammals, reptiles and amphibians:

3	Himalayan Marmot	5	15	<i>Marmota himalayana</i>
2	Siberian Chipmunk			<i>Tamias sibiricus</i>

CHINA – Lhasa and the Tibetan Plateau: Bird List...8

3	Plateau Pika	5	100	<i>Ochotona curzoniae</i>
2	Glover's Pika	1	6	<i>Ochotona gloveri</i>
3	Woolly Hare	7	9	<i>Lepus oiostolus</i>
1	Tibetan Fox			<i>Vulpes ferrilata</i>
3	Red Fox	2	3	<i>Vulpes vulpes</i>
3	Mountain (Alpine) Weasel	2	2	<i>Mustela altaica</i>
1	Steppe Polecat			<i>Mustela eversmanii</i>
3	Kiang	1	131	<i>Equus kiang</i>
1	Red Deer			<i>Cervus elaphus</i>
2	Siberian Roe	1	1	<i>Capreolus pygargus</i>
1	Goitered Gazelle			<i>Gazella subgutturosa</i>
3	Tibetan Gazelle	2	161	<i>Procapra picticaudata</i>
3	Tibetan Antelope	1	19	<i>Pantholops hodgsonii</i>
2	Blue Sheep			<i>Pseudois nayaur</i>
3	Qinghai Toad-headed Lizard	2	5	<i>Phrynocephalus vlangalii</i>
3	Toad sp.	3	100	