

TRINIDAD AND TOBAGO

“A visit to a legendary birding spot steeped in history brings with it a sense of expectation and hope that time has not dulled the birding. One need not worry in visiting Asa Wright Nature Centre in Trinidad. Our first morning on the famous verandah demonstrated that this indeed is an idyllic refuge for birders. Blue-crowned Motmots, Great Antshrikes, Chestnut Woodpeckers and other species that are frequently skulkers on the South American mainland demonstrated different behaviors here as they seemingly posed for identification study and photographs while enjoying the treats provided daily at the feeding stations. Hummingbirds including the bee-like Tufted Coquette, which made dawn-to-dusk forays to the feeders and surrounding flowers, at times hovering inches from those of us stationed at the forefront of the verandah. Images of choreographed flights of White-necked Jacobins whose rapid mid-air performances always eluded the camera shutter will stay with all of us. The trails on the lodge property never disappointed with sightings including a Common Potoo on a day-time perch, an elusive Bearded Bellbird sounding out his presence and Oilbirds perched along the rock walls of Dunston Cave.

Dragging ourselves away from the lodge's birds and food was perhaps our most difficult task during our week at Asa Wright but more birds awaited further afield. A most confiding Trinidad Piping-Guan and an extremely rare Scaled Antpitta were only two of the many highlights during our day on the Blanchisseuse Road. Azure Gallinule, Pinnated Bittern, White-tailed Goldenthrout and many other species along the way made our two trips to Nariva Swamp most enjoyable. There is always a certain ambience that surrounds a picnic dinner at sunset and the one we enjoyed near the Moriche palms at Waller Field held its own enchantment with the arrival of Red-bellied Macaws, Sulphury Flycatchers and the twilight appearance of a Moriche Oriole at their nightly roosts. Our night birding afterward could not have been more successful with exceptional sightings of Tropical Screech and Barn Owls, White-tailed Nightjars and Pauraques. Our visits to different sites on the island of Trinidad revealed the geographic diversity of this small island from the forested Northern Range, excellent shorebird mudflats at Waterloo and the mangrove swamps of Nariva and Caroni – all with a different selection of birdlife for our enjoyment.

Just as the name Asa Wright comes to mind when Trinidad is mentioned to a birder, so does the image of Scarlet Ibises when Caroni Swamp is discussed. The contrast of the rich red against the green of the mangroves and the celestial colors of the surrounding sky as the ibises flew singularly or in groups to their night-time roost produced an intensity of color that defies portrayal in words. The spectacle of ibises and egrets seeking nightly refuge in the surrounding mangroves denoted the importance of this sanctuary to the island's birdlife and left us with luminescent visions of these striking birds.

Only a short flight from Trinidad, Tobago brought a new set of experiences and birds to our journey. Hummingbirds continued to be top performers as Ruby Topazes walked away with the gold following performances in the early morning sun and White-tailed Sabrewings were the stars during our walk in the Central Forest. Blue-backed Manakins on Tobago provided island rivalry with Trinidad's White-bearded Manakins for best of the family. Rain may have dulled the afternoon display of frigatebirds and tropicbirds on Little Tobago but our close views of a Red-billed Tropicbird feeding a youngster on a nest more than compensated. Our visit to Grafton Estate provided another of those closer-than-close encounters with the birdlife of the island as Barred Antshrikes, Blue-crowned Motmots and Rufous-vented Chachalacas gathered around the feeding station at 4 p.m.

The importance of Tobago as a migrant trap was shown when we had opportunities to observe Ring-necked Ducks, Lesser Scaup, Yellow Warblers and other North American species while birding various wetland and mangrove areas on the island. And our sighting of an elusive Mangrove Cuckoo our final morning provided a superb finale to this visit to two

TRINIDAD & TOBAGO: Bird List...2

islands that have a perfect mix of the Caribbean and South America with a diverse offering of birdlife.”

Bird List

Column A = Number of tours on which this species has been recorded.

Column B = Number of days this species was seen on the last tour.

Column C = Maximum daily count for this species on the last tour.

H = heard only

(H) = mostly heard

N = evidence of nesting

| A | | B | C | | |
|---|------------------------------|---|------|---|----------------------------------|
| 3 | Little Tinamou | 5 | 2 | H | <i>Crypturellus soui</i> |
| 3 | Least Grebe | 1 | 5 | | <i>Tachybaptus dominicus</i> |
| 1 | Pied-billed Grebe | 1 | 1 | | <i>Polilymbus podiceps</i> |
| 3 | Red-billed Tropicbird | 1 | 50 | | <i>Phaethon aethereus</i> |
| 2 | Masked Booby | 1 | 80 | N | <i>Sula dactylatra</i> |
| 3 | Brown Booby | 3 | 200 | N | <i>Sula leucogaster</i> |
| 3 | Red-footed Booby | 1 | '00s | N | <i>Sula sula</i> |
| 3 | Audubon's Shearwater | 1 | 2 | N | <i>Puffinus iherminieri</i> |
| 3 | Brown Pelican | 4 | 30 | | <i>Pelecanus occidentalis</i> |
| 3 | Neotropic Cormorant | 2 | 3 | | <i>Phalacrocorax brasilianus</i> |
| 3 | Anhinga | 1 | 15 | | <i>Anhinga anhinga</i> |
| 3 | Magnificent Frigatebird | 7 | '00s | | <i>Fregata magnificens</i> |
| 2 | Pinnated Bittern | 1 | 2 | | <i>Botaurus pinnatus</i> |
| 1 | Least Bittern | | | | <i>Ixobrychus exilis</i> |
| 3 | Great Blue Heron | 3 | 1 | | <i>Ardea herodias</i> |
| 3 | Cocoi Heron | 1 | 1 | | <i>Ardea cocoi</i> |
| 3 | Great Egret | 4 | 50 | | <i>Ardea alba</i> |
| 3 | Little Egret | 1 | 1 | | <i>Egretta garzetta</i> |
| 3 | Snowy Egret | 4 | '00s | | <i>Egretta thula</i> |
| 3 | Little Blue Heron | 7 | 75 | | <i>Egretta caerulea</i> |
| 3 | Tricolored Heron | 3 | '00s | | <i>Egretta tricolor</i> |
| 3 | Cattle Egret | 9 | 100 | | <i>Bubulcus ibis</i> |
| 3 | Green Heron | 3 | 5 | | <i>Butorides virescens</i> |
| 3 | Striated Heron | 2 | 4 | | <i>Butorides striatus</i> |
| 3 | Black-crowned Night-Heron | 1 | 1 | | <i>Nycticorax nycticorax</i> |
| 3 | Yellow-crowned Night-Heron | 3 | 3 | | <i>Nyctanassa violacea</i> |
| 3 | Scarlet Ibis | 1 | '00s | | <i>Eudocimus ruber</i> |
| 3 | Black-bellied Whistling-duck | 2 | 100 | | <i>Dendrocygna autumnalis</i> |
| 1 | Glossy Ibis | 1 | 2 | | <i>Plegadis falcinellus</i> |
| 3 | White-cheeked Pintail | 1 | 13 | N | <i>Anas bahamensis</i> |
| 3 | Blue-winged Teal | 1 | 20 | | <i>Anas discors</i> |
| 1 | Ring-necked Duck | 1 | 3 | | <i>Aythya collaris</i> |
| 1 | Lesser Scaup | 1 | 2 | | <i>Aythya affinis</i> |
| 3 | Black Vulture | 6 | '00s | | <i>Coragyps atratus</i> |
| 3 | Turkey Vulture | 7 | 25 | | <i>Cathartes aura</i> |
| 3 | Osprey | 5 | 10 | | <i>Pandion haliaetus</i> |

TRINIDAD & TOBAGO: Bird List...3

| | | | | | |
|---|--------------------------|---|------|---|------------------------------------|
| 3 | Grey-headed Kite | 4 | 3 | | <i>Leptodon cayanensis</i> |
| 3 | Pearl Kite | 1 | 3 | N | <i>Gampsonyx swainsonii</i> |
| 3 | Double-toothed Kite | 1 | 1 | | <i>Harpagus bidentatus</i> |
| 3 | Plumbeous Kite | 1 | 2 | | <i>Ictina plumbea</i> |
| 2 | Long-winged Harrier | 1 | 1 | | <i>Circus buffoni</i> |
| 3 | White Hawk | 1 | 3 | | <i>Leucopternis albicollis</i> |
| 3 | Common Black-Hawk | 5 | 2 | | <i>Buteogallus anthracinus</i> |
| 3 | Great Black-Hawk | 1 | 1 | | <i>Buteogallus urubitinga</i> |
| 3 | Savanna Hawk | 3 | 4 | N | <i>Buteogallus meridionalis</i> |
| 3 | Grey Hawk | 1 | 2 | | <i>Asturina nitida</i> |
| 3 | Broad-winged Hawk | 2 | 5 | | <i>Buteo platypterus</i> |
| 2 | Short-tailed Hawk | | | | <i>Buteo brachyurus</i> |
| 3 | Zone-tailed Hawk | 3 | 1 | | <i>Buteo albonotatus</i> |
| 3 | Ornate Hawk-Eagle | 1 | 1 | | <i>Spizaetus ornatus</i> |
| 1 | Black Hawk-Eagle | | | | <i>Spizaetus tyrannus</i> |
| 1 | Crested Caracara | 1 | 1 | | <i>Caracara plancas</i> |
| 3 | Yellow-headed Caracara | 5 | 3 | | <i>Milvago chimachima</i> |
| 3 | Merlin | 2 | 1 | | <i>Falco columbarius</i> |
| 3 | Peregrine Falcon | 1 | 2 | | <i>Falco peregrinus</i> |
| 3 | Rufous-vented Chachalaca | 4 | 30 | | <i>Ortalis ruficauda</i> |
| 3 | Trinidad Piping-Guan | 1 | 1 | | <i>Pipile pipile</i> |
| 2 | Clapper Rail | | | | <i>Rallus longirostris</i> |
| 3 | Purple Gallinule | 2 | 1 | | <i>Porphyryla martinicus</i> |
| 1 | Azure Gallinule | 1 | 1 | | <i>Porphyryla flavirostris</i> |
| 3 | Common Moorhen | 2 | 10 | N | <i>Gallinula chloropus</i> |
| 1 | American Coot | 1 | 1 | | <i>Fulica americana</i> |
| 2 | Limpkin | 1 | 1 | | <i>Aramus guarauna</i> |
| 3 | Southern Lapwing | 8 | 50 | | <i>Vanellus chilensis</i> |
| 3 | Grey Plover | 1 | 12 | | <i>Pluvialis squatarola</i> |
| 3 | Semipalmated Plover | 3 | 5 | | <i>Charadrius semipalmatus</i> |
| 1 | Wilson's Plover | | | | <i>Charadrius wilsonia</i> |
| 1 | Killdeer | | | | <i>Charadrius vociferus</i> |
| 3 | Wattled Jacana | 5 | 100 | | <i>Jacana jacana</i> |
| 3 | Greater Yellowlegs | 3 | 5 | | <i>Tringa melanoleuca</i> |
| 3 | Lesser Yellowlegs | 2 | 8 | | <i>Tringa flavipes</i> |
| 3 | Solitary Sandpiper | 2 | 2 | | <i>Tringa solitaria</i> |
| 3 | Spotted Sandpiper | 5 | 6 | | <i>Tringa macularia</i> |
| 3 | Willet | 2 | 25 | | <i>Catoptrophorus semipalmatus</i> |
| 3 | Whimbrel | 2 | 5 | | <i>Numenius phaeopus</i> |
| 3 | Ruddy Turnstone | 4 | 25 | | <i>Arenaria interpres</i> |
| 3 | Sanderling | 1 | 6 | | <i>Calidris alba</i> |
| 1 | Semipalmated Sandpiper | | | | <i>Calidris pusilla</i> |
| 3 | Western Sandpiper | 1 | 10 | | <i>Calidris mauri</i> |
| 3 | Least Sandpiper | 1 | 2 | | <i>Calidris minutilla</i> |
| 2 | Wilson's Snipe | 1 | 1 | | <i>Gallinago gallinago</i> |
| 2 | Lesser Black-backed Gull | 1 | 2 | | <i>Larus fuscus</i> |
| 2 | Laughing Gull | 2 | '00s | | <i>Larus atricilla</i> |
| 1 | Ring-billed Gull | | | | <i>Larus delawarensis</i> |
| 3 | Royal Tern | 3 | 37 | | <i>Sterna maxima</i> |

TRINIDAD & TOBAGO: Bird List...4

| | | | | | |
|---|-----------------------------|----|-----|-----|-----------------------------------|
| 3 | Sandwich Tern | 1 | 10 | | <i>Sterna sandvicencis</i> |
| 3 | Large-billed Tern | 1 | 80 | | <i>Phaetusa simplex</i> |
| 3 | Black Skimmer | 1 | 50 | | <i>Rhynchops niger</i> |
| 3 | Pale-vented Pigeon | 3 | 50 | N | <i>Columba cayennensis</i> |
| 3 | Scaled Pigeon | 2 | 3 | | <i>Columba speciosa</i> |
| 3 | Eared Dove | 3 | 30 | | <i>Zenaida auriculata</i> |
| 3 | Common Ground-Dove | 1 | 1 | | <i>Columbina passerina</i> |
| 1 | Plain-breasted Ground-Dove | | | | <i>Columbina minuta</i> |
| 3 | Ruddy Ground-Dove | 10 | 40 | | <i>Columbina talpacoti</i> |
| 3 | White-tipped Dove | 5 | 8 | | <i>Leptotila verreauxi</i> |
| 3 | Grey-fronted Dove | 6 | 2 | | <i>Leptotila rufaxilla</i> |
| 3 | Red-bellied Macaw | 2 | 8 | | <i>Ara manilata</i> |
| 3 | Green-rumped Parrotlet | 4 | 4 | | <i>Forpus passerinus</i> |
| 1 | Lilac-tailed Parrotlet | | | | <i>Touit batavica</i> |
| 2 | Blue-headed Parrot | 2 | 2 | | <i>Pionus menstruus</i> |
| 3 | Orange-winged Parrot | 10 | 100 | | <i>Amazona amazonica</i> |
| 3 | Yellow-crowned Parrot | 1 | 3 | | <i>Amazona ochrocephala</i> |
| 2 | Mangrove Cuckoo | 1 | 1 | | <i>Coccyzus minor</i> |
| 3 | Squirrel Cuckoo | 4 | 2 | | <i>Piaya cayana</i> |
| 2 | Little Cuckoo | 1 | 1 | | <i>Piaya minuta</i> |
| 3 | Striped Cuckoo | 3 | 2 | (H) | <i>Tapera naevia</i> |
| 1 | Greater Ani | 1 | 2 | | <i>Crotophaga major</i> |
| 3 | Smooth-billed Ani | 8 | 50 | | <i>Crotophaga ani</i> |
| 2 | Barn Owl | 1 | 1 | | <i>Tyto alba</i> |
| 3 | Tropical Screech-Owl | 1 | 1 | | <i>Otus choliba</i> |
| 3 | Ferruginous Pygmy-Owl | 7 | 3 | (H) | <i>Glaucidium brasilianum</i> |
| 1 | Short-tailed Nighthawk | | | | <i>Lurocalis semitorquatus</i> |
| 3 | Pauraque | 1 | 6 | | <i>Nyctidromus albicollis</i> |
| 3 | White-tailed Nightjar | 3 | 10 | | <i>Caprimulgus cayennensis</i> |
| 3 | Common Potoo | 3 | 1 | | <i>Nyctibius griseus</i> |
| 3 | Oilbird | 1 | 10 | N | <i>Steatornis caripensis</i> |
| 2 | Short-tailed Swift | 2 | 60 | | <i>Chaetura brachyura</i> |
| 3 | Band-rumped Swift | 2 | 1 | | <i>Chaetura spinicauda</i> |
| 3 | Grey-rumped Swift | 6 | 20 | | <i>Chaetura cinereiventris</i> |
| 2 | Lesser Swallow-tailed Swift | 1 | 1 | | <i>Panyptila cayennensis</i> |
| 3 | Fork-tailed Palm-Swift | 3 | 10 | | <i>Tachornis squamata</i> |
| 3 | Rufous-breasted Hermit | 5 | 2 | | <i>Glaucis hirsuta</i> |
| 3 | Green Hermit | 5 | 2 | | <i>Phaethornis guy</i> |
| 3 | Little Hermit | 3 | 2 | | <i>Phaethornis longuemareus</i> |
| 3 | White-tailed Sabrewing | 2 | 4 | | <i>Campylopterus ensipennis</i> |
| 3 | White-necked Jacobin | 9 | 7 | | <i>Florisuga mellivora</i> |
| 1 | Brown Violet-ear | | | | <i>Colibri delphinae</i> |
| 3 | Black-throated Mango | 9 | 4 | | <i>Anthracothorax nigricollis</i> |
| 3 | Ruby-topaz Hummingbird | 6 | 6 | | <i>Chrysolampis mosquitus</i> |
| 3 | Tufted Coquette | 8 | 4 | | <i>Lophornis ornata</i> |
| 3 | Blue-chinned Sapphire | 6 | 5 | | <i>Chlorestes notatus</i> |
| 2 | White-tailed Goldenthrout | 1 | 1 | | <i>Polytmus guainumbi</i> |
| 3 | White-chested Emerald | 7 | 8 | | <i>Amazilia chionopectus</i> |
| 3 | Copper-rumped Hummingbird | 8 | 11 | | <i>Amazilia tobaci</i> |

TRINIDAD & TOBAGO: Bird List...5

| | | | | | |
|---|-------------------------------|---|----|-----|----------------------------------|
| 1 | Long-billed Starthroat | | | | <i>Heliomaster longirostris</i> |
| 3 | White-tailed Trogon | 4 | 1 | | <i>Trogon viridis</i> |
| 3 | Violaceous Trogon | 2 | 2 | | <i>Trogon violaceus</i> |
| 3 | Collared Trogon | 4 | 3 | | <i>Trogon collaris</i> |
| 3 | Blue-crowned Motmot | 7 | 8 | | <i>Momotus momota</i> |
| 2 | Ringed Kingfisher | 1 | 1 | | <i>Megaceryle torquata</i> |
| 3 | Belted Kingfisher | 1 | 1 | | <i>Megaceryle alcyon</i> |
| 3 | Green Kingfisher | 4 | 2 | | <i>Chloroceryle americana</i> |
| 2 | American Pygmy Kingfisher | 1 | 1 | | <i>Chloroceryle aenea</i> |
| 3 | Rufous-tailed Jacamar | 5 | 6 | | <i>Galbula ruficauda</i> |
| 3 | Channel-billed Toucan | 6 | 2 | | <i>Ramphastos vitellinus</i> |
| 3 | Red-crowned Woodpecker | 4 | 4 | | <i>Melanerpes rubricapillus</i> |
| 2 | Red-rumped Woodpecker | 2 | 2 | | <i>Veniliornis kirkii</i> |
| 3 | Golden-olive Woodpecker | 6 | 2 | | <i>Piculus rubiginosus</i> |
| 3 | Chestnut Woodpecker | 2 | 1 | | <i>Celeus elegans</i> |
| 2 | Lineated Woodpecker | | | | <i>Dryocopus lineatus</i> |
| 3 | Pale-breasted Spinetail | 2 | 2 | (H) | <i>Synallaxis albescens</i> |
| 3 | Stripe-breasted Spinetail | 4 | 3 | (H) | <i>Synallaxis cinnamomea</i> |
| 3 | Yellow-chinned Spinetail | 3 | 15 | (H) | <i>Certhiaxis cinnamomea</i> |
| 2 | Streaked Xenops | | | | <i>Xenops rutilans</i> |
| 2 | Grey-throated Leaftosser | 2 | 1 | | <i>Sclerurus albigularis</i> |
| 3 | Plain-brown Woodcreeper | 2 | 3 | | <i>Dendrocincla fuliginosa</i> |
| 2 | Olivaceous Woodcreeper | 2 | 2 | | <i>Sittasomus griseicapillus</i> |
| 2 | Straight-billed Woodcreeper | 1 | 1 | | <i>Xiphorhynchus picus</i> |
| 3 | Cocoa Woodcreeper | 6 | 2 | | <i>Xiphorhynchus susurrans</i> |
| 2 | Streak-headed Woodcreeper | 1 | 1 | | <i>Lepidocolaptes souleyetii</i> |
| 3 | Great Antshrike | 4 | 2 | | <i>Taraba major</i> |
| 3 | Black-crested Antshrike | 3 | 4 | | <i>Sakesphorus canadensis</i> |
| 3 | Barred Antshrike | 9 | 7 | | <i>Thamnophilus doliatus</i> |
| 3 | Plain Antwreio | 3 | 2 | | <i>Dysithamnus mentalis</i> |
| 3 | White-flanked Antwren | 2 | 2 | | <i>Myrmotherula axillaris</i> |
| 3 | White-fringed Antwren | 2 | 3 | | <i>Formicivora grisea</i> |
| 3 | Silvered Antbird | 1 | 3 | | <i>Sclateria naevia</i> |
| 3 | White-bellied Antbird | 5 | 2 | (H) | <i>Myrmeciza longipes</i> |
| 3 | Black-faced Antthrush | 2 | 1 | | <i>Formicarius analis</i> |
| 1 | Scaled Antpitta | 1 | 1 | | <i>Grallaria guatemalensis</i> |
| 3 | Southern Beardless-Tyrannulet | 3 | 1 | | <i>Camptostoma obsoletum</i> |
| 3 | Northern Scrub-Flycatcher | 1 | 1 | | <i>Sublegatus arenarum</i> |
| 3 | Forest Elaenia | 5 | 1 | | <i>Myiopagis gaimardii</i> |
| 3 | Yellow-bellied Elaenia | 6 | 8 | N | <i>Elaenia flavogaster</i> |
| 1 | Lesser Elaenia | | | | <i>Elaenia chiriquensis</i> |
| 3 | Ochre-bellied Flycatcher | 4 | 2 | | <i>Mionectes oleagineus</i> |
| 2 | Slaty-capped Flycatcher | 2 | 2 | | <i>Leptopogon supercilialis</i> |
| 2 | Yellow-olive Flycatcher | 2 | 2 | | <i>Tolmomyias sulphurescens</i> |
| 3 | Yellow-breasted Flycatcher | 7 | 2 | | <i>Tolmomyias flaviventris</i> |
| 3 | White-throated Spadebill | | | | <i>Platyrinchus mystaceus</i> |
| 2 | Bran-colored Flycatcher | 1 | 1 | | <i>Myiophobus fasciatus</i> |
| 3 | Olive-sided Flycatcher | 1 | 1 | | <i>Contopus borealis</i> |
| 2 | Tropical Pewee | 2 | 1 | | <i>Contopus cinereus</i> |

TRINIDAD & TOBAGO: Bird List...6

| | | | | | |
|---|-------------------------------|----|----|-----|-----------------------------------|
| 3 | Euler's Flycatcher | 1 | 2 | | <i>Lathrotriccus euleri</i> |
| 3 | Fuscous Flycatcher | 2 | 3 | | <i>Cnemotriccus fuscatus</i> |
| 3 | Pied Water-Tyrant | 3 | 30 | | <i>Fluvicola pica</i> |
| 3 | White-headed Marsh-Tyrant | 3 | 20 | N | <i>Fluvicola leucocephala</i> |
| 3 | Bright-rumped Attila | 1 | 1 | H | <i>Attila spadiceus</i> |
| 3 | Dusky-capped Flycatcher | 1 | 2 | | <i>Myiarchus tuberculifer</i> |
| 3 | Venezuelan Flycatcher | 2 | 1 | | <i>Myiarchus venezuelensis</i> |
| 3 | Brown-crested Flycatcher | 3 | 2 | | <i>Myiarchus tyrannulus</i> |
| 3 | Great Kiskadee | 7 | 20 | N | <i>Pitangus sulphuratus</i> |
| 3 | Boat-billed Flycatcher | 5 | 3 | | <i>Megarhynchus pitangua</i> |
| 3 | Streaked Flycatcher | 2 | 3 | N | <i>Myiodynastes maculatus</i> |
| 3 | Piratic Flycatcher | 1 | 1 | | <i>Legatus leucophaeus</i> |
| 3 | Sulphury Flycatcher | 1 | 2 | | <i>Tyrannopsis sulphurea</i> |
| 3 | Tropical Kingbird | 9 | 25 | | <i>Tyrannus melancholicus</i> |
| 3 | Grey Kingbird | 7 | 4 | | <i>Tyrannus dominicensis</i> |
| 2 | White-winged Becard | 1 | 1 | | <i>Pachyramphus polychopterus</i> |
| 3 | Black-tailed Tityra | 2 | 1 | | <i>Tityra cayana</i> |
| 3 | Bearded Bellbird | 6 | 2 | (H) | <i>Procnias averano</i> |
| 3 | White-bearded Manakin | 6 | 8 | | <i>Manacus manacus</i> |
| 3 | Blue-backed Manakin | 2 | 7 | | <i>Chiroxiphia pareola</i> |
| 3 | Golden-headed Manakin | 3 | 3 | | <i>Pipra erythrocephala</i> |
| 3 | Caribbean Martin | 2 | 50 | | <i>Progne dominicensis</i> |
| 3 | Grey-breasted Martin | 3 | 20 | | <i>Progne chalybea</i> |
| 3 | White-winged Swallow | 2 | 20 | | <i>Tachycineta albiventer</i> |
| 3 | Southern Rough-winged Swallow | 5 | 25 | | <i>Stelgidopteryx ruficollis</i> |
| 3 | Rufous-breasted Wren | 9 | 5 | | <i>Thryothorus rutilus</i> |
| 3 | House Wren | 9 | 5 | | <i>Troglodytes aedon</i> |
| 3 | Long-billed Gnatwren | 6 | 2 | | <i>Ramphocaenus melanurus</i> |
| 3 | Yellow-legged Thrush | 2 | 2 | | <i>Platycichla flavipes</i> |
| 3 | Cocoa Thrush | 8 | 10 | | <i>Turdus fumigatus</i> |
| 3 | Yellow-eyed Thrush | 9 | 5 | | <i>Turdus nudigenis</i> |
| 3 | White-necked Thrush | 8 | 10 | N | <i>Turdus albicollis</i> |
| 3 | Tropical Mockingbird | 9 | 10 | | <i>Mimus gilvus</i> |
| 3 | Red-eyed Vireo | 3 | 3 | | <i>Vireo olivaceus</i> |
| 3 | Scrub Greenlet | 3 | 5 | | <i>Hylophilus flavipes</i> |
| 3 | Golden-fronted Greenlet | 5 | 4 | | <i>Hylophilus aurantiifrons</i> |
| 3 | Rufous-browed Peppershrike | 7 | 3 | N | <i>Cyclarhis gujanensis</i> |
| 2 | Tropical Parula | 2 | 1 | | <i>Parula pitiayumi</i> |
| 3 | Yellow Warbler | 5 | 5 | | <i>Dendroica petechia</i> |
| 1 | Blackpoll Warbler | | | | <i>Dendroica striata</i> |
| 2 | American Redstart | 4 | 2 | | <i>Setophaga ruticilla</i> |
| 3 | Northern Waterthrush | 4 | 2 | | <i>Seiurus noveboracensis</i> |
| 3 | Masked Yellowthroat | 2 | 3 | | <i>Geothlypis aequinoctialis</i> |
| 3 | Golden-crowned Warbler | 4 | 2 | | <i>Basileuterus culicivorus</i> |
| 3 | Bananaquit | 10 | 50 | | <i>Coereba flaveola</i> |
| 3 | Bicolored Conebill | 1 | 6 | | <i>Conirostrum bicolor</i> |
| 2 | Speckled Tanager | 1 | 4 | | <i>Tangara guttata</i> |
| 3 | Turquoise Tanager | 7 | 4 | | <i>Tangara mexicana</i> |
| 3 | Bay-headed Tanager | 4 | 10 | | <i>Tangara gyrola</i> |

TRINIDAD & TOBAGO: Bird List...7

| | | | | | |
|---|--------------------------|----|------|---|--------------------------------|
| 3 | Blue Dacnis | 2 | 3 | | <i>Dacnis cayana</i> |
| 3 | Green Honeycreeper | 8 | 10 | | <i>Chlorophanes spiza</i> |
| 3 | Purple Honeycreeper | 8 | 20 | | <i>Cyanerpes caeruleus</i> |
| 2 | Red-legged Honeycreeper | 9 | 10 | | <i>Cyanerpes cyaneus</i> |
| 2 | Trinidad Euphonia | | | | <i>Euphonia trinitatis</i> |
| 3 | Violaceous Euphonia | 6 | 6 | | <i>Euphonia violacea</i> |
| 3 | Blue-grey Tanager | 11 | 20 | | <i>Thraupis episcopus</i> |
| 3 | Palm Tanager | 10 | 50 | | <i>Thraupis palmarum</i> |
| 3 | Silver-beaked Tanager | 7 | 20 | | <i>Ramphocelus carbo</i> |
| 3 | White-shouldered Tanager | 2 | 3 | | <i>Tachyphonus luctuosus</i> |
| 3 | White-lined Tanager | 9 | 40 | | <i>Tachyphonus rufus</i> |
| 3 | Red-crowned Ant-Tanager | 2 | 3 | | <i>Habia rubica</i> |
| 1 | Hepatic Tanager | | | | <i>Piranga flava</i> |
| 3 | Greyish Saltator | 6 | 4 | | <i>Saltator coerulescens</i> |
| 3 | Red-capped Cardinal | 1 | 1 | | <i>Paroaria gularis</i> |
| 3 | Dickcissel | 1 | '00s | | <i>Spiza americana</i> |
| 3 | Blue-black Grassquit | 9 | 10 | | <i>Volatinia jacarina</i> |
| 3 | Ruddy-breasted Seedeater | 1 | 1 | | <i>Sporophila minuta</i> |
| 3 | Black-faced Grassquit | 3 | 4 | | <i>Tiaris bicolor</i> |
| 2 | Sooty Grassquit | 1 | 1 | | <i>Tiaris fuliginosa</i> |
| 2 | Saffron Finch | 1 | 10 | | <i>Sicalis flaveola</i> |
| 2 | Grassland Yellow-Finch | 1 | 3 | | <i>Sicalis luteola</i> |
| 3 | Red-breasted Blackbird | 3 | 30 | | <i>Leistes militaris</i> |
| 3 | Yellow-hooded Blackbird | 3 | 25 | | <i>Agelaius icterocephalus</i> |
| 3 | Carib Grackle | 7 | 30 | | <i>Quiscalus lugubris</i> |
| 3 | Shiny Cowbird | 8 | 20 | | <i>Molothrus bonariensis</i> |
| 3 | Giant Cowbird | 3 | 6 | | <i>Scaphidura oryzivora</i> |
| 3 | Moriche Oriole | 1 | 1 | | <i>Icterus chrysocephalus</i> |
| 3 | Yellow Oriole | 6 | 2 | | <i>Icterus nigrogularis</i> |
| 3 | Yellow-rumped Cacique | 4 | 30 | N | <i>Cacicus cela</i> |
| 3 | Crested Oropendola | 10 | 50 | N | <i>Psarocolius decumanus</i> |